AUTHOR INDEX

June 1997

Alonso, A., 2630

Badola, P., 2688
Bahar, I., 2445
Bailey, A. I., 2599
Bamford, J. K. H., 2748
Basáñez, G., 2630
Baylor, S. M., 2736
Beam, K. G., 2515
Bello, R. A., 2524
Benevides, J. M., 2748
Bivas, I., 2616
Blochet, J-E., 2559
Boireau, W., 2679
Borgo, M., 2581
Bothorel, P., 2616
Bourdillon, C., 2679
Brownell, W. E., 2812
Bruŋk, D. K., 2820

Castellino, F. J., 2605
Chen, Y-d., 2496
Craig, R., 2398
Cruz, A., 2638
Čulić, O., 2775
Czerski, L., 2688

Davis, P. J., 2569
Demidov, V. V., 2763
Dempsey, C. E., 2490
de Souza, O. N., 2395
DeWolf, C., 2599
Doruker, P., 2445
Dufourcq, J., 2616

Edwards, K., 2630
Ellison, E. H., 2605

Fendler, K., 2503
Fernandez-Puente, L., 2616
Ford, L. E., 2719
Frank-Kamenetskii, M. D., 2763
Froehlich, J. P., 2503

Gallo, S. A., 2805
García, J., 2515
Georgaliɛ, Y., 2770
Gerbeaud, C., 2616
Gibbs, N., 2490
Goñi, F. M., 2630
Gratton, E., 2405, 2413
Gratzer, W. B., 2599
Gruwel, M. L. H., 2775

Hammer, D. A., 2820
Hartung, K., 2503
Hodgkinson, J. L., 2398
Hoek, J. B., 2588
Hohenberg, P. C., 2430
Hollingworth, S., 2736
Huang, C., 2702
Hui, S. W., 2805
Hwang, M-J., 2479
Hwang, W. C., 2669

Imoto, K., 2515

Janes, N., 2588
Johnson, P. G., 2805

Kahana, E., 2599
Karlsson, G., 2630
Keough, K. M. W., 2569, 2638
Kleijn, J. M., 2651
Kupferman, R., 2430

Lacapère, J-J., 2545
Lafrance, C-P., 2559
Laval, J. M., 2679
Lee, C-Y., 2479
Lee, K. Y. C., 2783
Lehman, W., 2398
Levi, M., 2413
Lipp, M. M., 2783
Lue, A. J-C., 2812
Luzzati, V., 2581

Magleby, K. L., 2524
Marchal, D., 2679
Márquez, G., 2581
Marsh, D., 2660, 2710, 2834
Marston, S. B., 2398
Marszalek, P., 2496
Masters, B. R., 2405
Mateu, L., 2581
McCauley, P., 2599
McIntosh, T. J., 2702
Méléard, P., 2616
Mitov, M. D., 2616
Mitra, P. P., 2430
Moiroux, J., 2679
Morán, O., 2581

Nag, K., 2569, 2638
Nakai, J., 2515

Ornstein, R. L., 2395
Oseroff, A. R., 2805

Padrón, R., 2581
Parassasi, T., 2413
Pecht, I., 2470
Perez-Gil, J., 2638
Pézolet, M., 2559
Piknová, B., 2660
Pinder, J. C., 2599
Popel, A. S., 2812
Pott, T., 2616

Reddy, L. G., 2545
Rigaud, J-L., 2545
Rothberg, B. S., 2524
Ruiz-Argüello, M. B., 2630

Sanders, C. R., II, 2688
Schrader, J., 2775
Schweitzer-Stenner, R., 2470
Seow, C. Y., 2719
Sessions, R. B., 2490
Sikorski, A. F., 2599
Sit, P. S., 2812
So, P. T. C., 2405
Sönnichsen, F. D., 2688
Soumpasis, D. M., 2770
Spector, A. A., 2812
Stokes, D. L., 2545
Struijk, J. J., 2457

Tamir, I., 2470
Taneva, S. G., 2638
Taraschi, T. F., 2588
Thomas, G. J., Jr., 2748
Thompson, T. E., 2660
Tsong, T. Y., 2496
Tsuboi, M., 2748

Vibert, P., 2398
Victorov, A. V., 2588
Vinogradova, O., 2688
Vonasek, E., 2581

Wang, S. S-H., 2430
Waring, A., 2783
Waugh, R. E., 2669
Williams, P. B., 2490
Wilson, P., 2413
Winlove, C. P., 2599
Worthman, L-A. D., 2569

Xie, T. D., 2496

Yang, P-K., 2479
Yavnilovich, M. V., 2763
Young, H. S., 2545
Yu, W. M., 2413

Zasadzinski, J. A., 2783
Zhai, X., 2651
Zhao, M., 2736

AUTHOR INDEX

A

Ackerman, S. J. *See* Kowdley, Ackerman, Chen, Szabo, Jones, and Moorman

Agmon, N. and Edelstein, A. L. Collective binding properties of receptor arrays, 1582

Aguilar, M.-I. *See* Lazoura, Maidonis, Bayer, Hearn, and Aguilar

Ahern, G. P., Junankar, P. R., and Dulhunty, A. F. Subconductance states in single channel activity of skeletal muscle ryanodine receptors after removal of FKBP12, 146

Alberty, R. A. Constraints and missing reactions in the urea cycle, 2349

Alexov, E. G. and Gunner, M. R. Incorporating protein conformational flexibility into the calculation of pH-dependent protein properties, 2075

Alix, S. N. and Woodbury, D. J. Phospholipase A_2 action on planar lipid bilayers generates a small, transitory current that is voltage independent, 247

Alonso, A. *See* Basáñez, Ruiz-Argüello, Alonso, Goñi, Karlsson, and Edwards

Alt, T. *See* Wenk, Alt, Seelig, and Seelig

Amrein, M. *See* von Nahmen, Schenk, Sieber, and Amrein

Anderson, B. D. *See* Xiang and Anderson

Antonenko, Y. N., Pohl, P., and Denisov, G. A. Permeation of ammonia across bilayer lipid membranes studied by ammonium ion selective microelectrodes, 2187

——— *See* Pohl, Saparov, and Antonenko

Antonini, P. S., Hillen, W., Ettner, N., Hinrichs, W., Fantucci, P., Doglia, S. M., Bousquet, J.-A., and Chabbert, M. Molecular mechanics analysis of Tet repressor Trp-43 fluorescence, 1800

Antunes, S. *See* Dreyer, Antunes, Hoshi, Müller-Röber, Palme, Pongs, Reintanz, and Hedrich

Artmann, G. M., Sung, K.-L. P., Horn, T., Whittemore, D., Norwich, G., and Chien, S. Micropipette aspiration of human erythrocytes induces echinocytes via membrane phospholipid translocation, 1434

Arunkumar, A. I. *See* Chang, Chien, and Arunkumar

Atkinson, G. H. *See* Weidlich, Ujj, Jäger, and Atkinson

Austin, R. H. *See* Chan, Austin, Mukerji, and Spiro

B

Badola, P. *See* Vinogradova, Badola, Czerski, Sönnichsen, and Sanders

Bahar, I. *See* Doruker and Bahar

Bailey, A. I. *See* DeWolf, McCauley, Sikorski, Winlove, Bailey, Kahana, Pinder, and Gratzer

Balashov, S. P. *See* Govindjee, Imasheva, Misra, Balashov, Ebrey, Chen, Menick, and Crouch

Balser, J. R. *See* Pérez-García, Chiamvimonvat, Ranjan, Balser, Tomaselli, and Marban

Balsera, M. *See* Izrailev, Stepaniants, Balsera, Oono, and Schulten

Bamberg, E. *See* Humphrey, Bamberg, and Schulten

Bamford, J. K. H. *See* Benevides, Tsuboi, Bamford, and Thomas

Baracca, A. *See* Gabellieri, Strambini, Baracca, and Solaini

Barba, A. P. *See* Kuznetsov, Malkin, Land, DeYoreo, Barba, Konnert, and McPherson

Bärmann, M. *See* Grimm, Bärmann, Häckl, Typke, Sackmann, and Baumeister

Barnett, D. W. and Misler, S. An optimized approach to membrane capacitance estimation using dual-frequency excitation, 1641

Barnett, V. A. *See* Xie, Li, Barnett, and Schoenberg

Barry, P. H. *See* Chiu, Lynch, and Barry

Barsanti, L., Passarelli, V., Walne, P. L., and Gualtieri, P. In vivo photocycle of the *Euglena gracilis* photoreceptor, 545

Basáñez, G., Ruiz-Argüello, M. B., Alonso, A., Goñi, F. M., Karlsson, G., and Edwards, K. Morphological changes induced by phospholipase C and by sphingomyelinase on large unilamellar vesicles: a cryo-transmission electron microscopy study of liposome fusion, 2630

Batenjany, M. M., O'Leary, T. J., Levin, I. W., and Mason, J. T. Packing characteristics of two-component bilayers composed of ester- and ether-linked phospholipids, 1695

Baumeister, W. *See* Grimm, Bärmann, Häckl, Typke, Sackmann, and Baumeister

Baumgartner, W., Hohenthanner, K., Höfer, G. F., Groschner, K., and Romanin, C. Estimating the number of channels in patch-clamp recordings: application to kinetic analysis of multichannel data from voltage-operated channels, 1143

Bayer, E. *See* Lazoura, Maidonis, Bayer, Hearn, and Aguilar

Bayerl, T. M. *See* Linseisen, Hetzer, Brumm, and Bayerl

Baylor, S. M. *See* Zhao, Hollingworth, and Baylor

Beam, K. G. *See* García, Nakai, Imoto, and Beam

Bean, B. P. *See* McDonough, Mintz, and Bean

Beck, W. *See* Döring, Beck, Konermann, and Jähnig

Becker, F. F. *See* Wang, Huang, Wang, Becker, and Gascoyne

Behlke, J. and Ristau, O. Molecular mass determination by sedimentation velocity experiments and direct fitting of the concentration profiles, 428

Belcher, A. M. *See* Walters, Smith, Belcher, Paloczi, Stucky, Morse, and Hansma

Bellissent-Funel, M.-C., Filabozzi, A., and Chen, S. H. Measurement of coherent Debye-Waller factor in in vivo deuterated C-phycocyanin by inelastic neutron scattering, 1792

Bello, R. A. *See* Rothberg, Bello, and Magleby

Ben-Efraim, I. and Shai, Y. The structure and organization of synthetic putative membranous segments of ROMK1 channel in phospholipid membranes, 85

Benevides, J. M., Tsuboi, M., Bamford, J. K. H., and Thomas, G. J., Jr. Polarized Raman spectroscopy of double-stranded RNA from bacteriophage phi6: local Raman tensors of base and backbone vibrations, 2748

Beney, L., Perrier-Cornet, J.-M., Hayert, M., and Gervais, P. Shape modification of phospholipid vesicles induced by high pressure: influence of bilayer compressibility, 1258

Bennett, M. R., Farnell, L., Gibson, W. G., and Lavidis, N. A. Synaptic transmission at visualized sympathetic boutons: stochastic interaction between acetylcholine and its receptors, 1595

Benos, D. J. *See* Fuller, Berdiev, Shlyonsky, Ismailov, and Benos

——— *See* Ismailov, Berdiev, Shlyonsky, and Benos

Berdiev, B. K. *See* Fuller, Berdiev, Shlyonsky, Ismailov, and Benos

——— *See* Ismailov, Berdiev, Shlyonsky, and Benos

Berendsen, H. J. C. *See* van der Spoel and Berendsen

Berger, O., Edholm, O., and Jähnig, F. Molecular dynamics simulations of a fluid bilayer of dipalmitoylphosphatidylcholine at full hydration, constant pressure, and constant temperature, 2002

Berland, K. M. Fluorescence correlation spectroscopy: new methods for detecting molecular associations, 1487

Bernsdorff, C., Wolf, A., Winter, R., and Gratton, E. Effect of hydrostatic pressure on water penetration and rotational dynamics in phospholipid-cholesterol bilayers, 1264

Beth, A. H. *See* Hustedt, Smirnov, Laub, Cobb, and Beth

Beveridge, T. *See* Xu, Blackford, Cordes, Jericho, Pink, Levadny, and Beveridge

Beyermann, M. *See* Kaduk, Duclohier, Dathe, Wenschuh, Beyermann, Molle, and Bienert

Biagio, P. L. S. *See* Bulone, Newman, and Biagio
Bick, D. H. *See* Massey, Bick, and Pownall
Bienert, M. *See* Kaduk, Duclohier, Dathe, Wenschuh, Beyermann, Molle, and Bienert
Biggin, P. C., Breed, J., Son, H. S., and Sansom, M. S. P. Simulation studies of alamethicin-bilayer interactions, 627
Bishop, T. C., Kosztin, D., and Schulten, K. How hormone receptor-DNA binding affects nucleosomal DNA: the role of symmetry, 2056
Bisseling, T. *See* Gadella, Vereb, Hadri, Röhrig, Schmidt, John, Schell, and Bisseling
Bivas, I. *See* Méléard, Gerbeaud, Pott, Fernandez-Puente, Bivas, Mitov, Dufourcq, and Bothorel
Blackford, B. L. *See* Xu, Blackford, Cordes, Jericho, Pink, Levadny, and Beveridge
Blangé, T. *See* van der Heide, Ketelaars, Treijtel, de Beer, and Blangé
Blankenship, R. E. *See* van Noort, Zhu, LoBrutto, and Blankenship
Blochet, J.-E. *See* Lafrance, Blochet, and Pézolet
Block, S. M. *See* Wang, Yin, Landick, Gelles, and Block
Blume, A. *See* Garidel, Johann, and Blume
Blumenthal, R. *See* Paternostre, Viard, Meyer, Ghanam, Ollivon, and Blumenthal
Bobst, A. M. *See* Keyes, Bobst, Cao, and Bobst
Bobst, E. V. *See* Keyes, Bobst, Cao, and Bobst
Boireau, W. *See* Marchal, Boireau, Laval, Moiroux, and Bourdillon
Borejdo, J. *See* Xiao and Borejdo
Borgo, M. *See* Mateu, Morán, Padrón, Borgo, Vonasek, Márquez, and Luzzati
Borst, J. G. G. *See* Helmchen, Borst, and Sakmann
Bothorel, P. *See* Méléard, Gerbeaud, Pott, Fernandez-Puente, Bivas, Mitov, Dufourcq, and Bothorel
Bourdillon, C. *See* Marchal, Boireau, Laval, Moiroux, and Bourdillon
Bousquet, J.-A. *See* Antonini, Hillen, Ettner, Hinrichs, Fantucci, Doglia, Bousquet, and Chabbert
Boyd, C. A. *See* Lobert, Boyd, and Correia
Bradaczek, H. *See* Obst, Kastowsky, and Bradaczek
Bradshaw, J. P. Phosphatydylglycerol promotes bilayer insertion of salmon calcitonin, 2180
Brady, G. P. and Sharp, K. A. Energetics of cyclic dipeptide crystal packing and solvation, 913
Brandt, P. W. and Schachat, F. H. Troponin C modulates the activation of thin filaments by rigor cross-bridges, 2262
Braslavsky, S. E. *See* Strassburger, Gärtner, and Braslavsky
Breed, J. *See* Biggin, Breed, Son, and Sansom
——— *See* Smart, Breed, Smith, and Sansom
Brenneman, M. *See* Quine, Brenneman, and Cross
Brenner, B. *See* Frisbie, Chalovich, Brenner, and Yu
——— *See* Heubach, Hartwell, Ledwon, Kraft, Brenner, and Chalovich
——— *See* Kraft and Brenner
Briehl, R. W. Definite answers from random events, 3
Briggs, J. M. Protein-protein diffusional encounter, 1915
Brindle, K. M. *See* Williams, Haggie, and Brindle
Brooks, F. P., Jr. *See* Falvo, Washburn, Superfine, Finch, Brooks, Chi, and Taylor
Brown, E. M. *See* Vassilev, Mitchel, Vassilev, Kanazirska, and Brown
Brown, R. H., Jr. *See* Hayward, Brown, and Cannon
Brownell, W. E. *See* Sit, Spector, Lue, Popel, and Brownell
Bruining, H. A. *See* Coremans, Ince, Bruining, and Puppels
Brumm, T. *See* Linseisen, Hetzer, Brumm, and Bayerl
Brunk, D. K. and Hammer, D. A. Quantifying rolling adhesion with a cell-free assay: E-selectin and its carbohydrate ligands, 2820
Bryant, R. G. *See* Zhang and Bryant
Buck, D. R., Savikhin, S., and Struve, W. S. Ultrafast absorption difference spectra of the Fenna-Matthews-Olson protein at 19 K: experiment and simulations, 24
Bucossi, G., Nizzari, M., and Torre, V. Single-channel properties of ionic channels gated by cyclic nucleotides, 1165
Bukauskas, F. F. and Peracchia, C. Two distinct gating mechanisms in gap junction channels: CO_2-sensitive and voltage-sensitive, 2137
Buldyrev, S. V. *See* Viswanathan, Buldyrev, Havlin, and Stanley
Bulone, D., Newman, J., and Biagio, P. L. S. Mesoscopic gels at low agarose concentration: perturbation effects of ethanol, 388
Burlacu, S., Tap, W. D., Lumpkin, E. A., and Hudspeth, A. J. ATPase activity of myosin in hair bundles of the bullfrog's sacculus, 263
Bush, B. L. *See* Gilson, Given, Bush, and McCammon
Butera, R. J., Jr. *See* Demir, Butera, DeFranceschi, Clark, and Byrne
Byrne, J. H. *See* Demir, Butera, DeFranceschi, Clark, and Byrne
Byron, O. Construction of hydrodynamic bead models from high-resolution x-ray crystallographic or nuclear magnetic resonance data, 408

C

Cafiso, D. S. *See* North and Cafiso
Callender, R. *See* Chen, Kraut, and Callender
——— *See* van Beek, Callender, and Gunner
Calmettes, P. *See* Petrescu, Receveur, Calmettes, Durand, Desmadril, Roux, and Smith
Campbell, K. Rate constant of muscle force redevelopment reflects cooperative activation as well as cross-bridge kinetics, 254
Cannon, S. C. *See* Hayward, Brown, and Cannon
Cantor, H. C. *See* Wahr, Cantor, and Metzger
Cao, Y. Y. *See* Keyes, Bobst, Cao, and Bobst
Cao, Z. and Ferrone, F. A. Homogeneous nucleation in sickle hemoglobin: stochastic measurements with a parallel method, 343
Castellino, F. J. *See* Ellison and Castellino
Chabbert, M. *See* Antonini, Hillen, Ettner, Hinrichs, Fantucci, Doglia, Bousquet, and Chabbert
Chalovich, J. M. *See* Frisbie, Chalovich, Brenner, and Yu
——— *See* Heubach, Hartwell, Ledwon, Kraft, Brenner, and Chalovich
Chan, S. S., Austin, R. H., Mukerji, I., and Spiro, T. G. Temperature-dependent ultraviolet resonance Raman spectroscopy of the premelting state of dA·dT DNA, 1512
Chandani, S. *See* Narayanan, Chandani, Ramakrishna, and Rao
Chang, D.-K., Chien, W.-J., and Arunkumar, A. I. Conformation of a protein kinase C substrate, NG(28–43), and its analog in aqueous and sodium dodecyl sulfate micell solutions, 554
Chapman, M. L., VanDongen, H. M. A., and VanDongen, A. M. J. Activation-dependent subconductance levels in the drk1 K channel suggest a subunit basis for ion permeation and gating, 708
Chase, P. B. *See* Gordon, LaMadrid, Chen, Luo, and Chase
Chen, C.-S., Martin, O. C., and Pagano, R. E. Changes in the spectral properties of a plasma membrane lipid analog during the first seconds of endocytosis in living cells, 37
Chen, D., Lear, J., and Eisenberg, B. Permeation through an open channel: Poisson-Nernst-Planck theory of a synthetic ionic channel, 97

Chen, N. *See* Govindjee, Imasheva, Misra, Balashov, Ebrey, Chen, Menick, and Crouch
Chen, S. H. *See* Bellissent-Funel, Filabozzi, and Chen
Chen, Y. Z., Powell, J. W., and Prohofsky, E. W. Vibrational normal modes and dynamical stability of DNA triplex poly(dA)·2poly(dT): S-type structure is more stable and in better agreement with observations in solution, 1327
Chen, Y.-d. *See* Xie, Chen, Marszalek, and Tsong
Chen, Y. *See* Gordon, LaMadrid, Chen, Luo, and Chase
Chen, Y.-Q., Kraut, J., and Callender, R. pH-dependent conformational changes in *Escherichia coli* dihydrofolate reductase revealed by Raman difference spectroscopy, 936
Chen, Z. *See* Kowdley, Ackerman, Chen, Szabo, Jones, and Moorman
Cheung, H. C. *See* Dong, Wang, Gordon, and Cheung
Chi, V. *See* Falvo, Washburn, Superfine, Finch, Brooks, Chi, and Taylor
Chiamvimonvat, N. *See* Pérez-García, Chiamvimonvat, Ranjan, Balser, Tomaselli, and Marban
Chien, S. *See* Artmann, Sung, Horn, Whittemore, Norwich, and Chien
——— *See* Hansen, Skalak, Chien, and Hoger
Chien, W.-J. *See* Chang, Chien, and Arunkumar
Chiu, P., Lynch, J. W., and Barry, P. H. Odorant-induced currents in intact patches from rat olfactory receptor neurons: theory and experiment, 1442
Chong, P. L.-G. *See* Liu, Sugar, and Chong
Chou, T., Jarić, M. V., and Siggia, E. D. Electrostatics of lipid bilayer bending, 2042
Clark, J. W., Jr. *See* Demir, Butera, DeFranceschi, Clark, and Byrne
Clay, J. R. *See* Mienville and Clay
Cobb, C. E. *See* Hustedt, Smirnov, Laub, Cobb, and Beth
Coelho, F. P., Vaz, W. L. C., and Melo, E. Phase topology and percolation in two-component lipid bilayers: a Monte Carlo approach, 1501
Collins, K. D. Charge density-dependent strength of hydration and biological structure, 65
Colombini, M. *See* Rostovtseva and Colombini
——— *See* Xu and Colombini
Cooke, R. *See* Cuda, Pate, Cooke, and Sellers
Cordes, J. G. *See* Xu, Blackford, Cordes, Jericho, Pink, Levadny, and Beveridge
Coremans, J. M. C. C., Ince, C., Bruining, H. A., and Puppels, G. J. (Semi-)quantitative analysis of reduced nicotinamide adenine dinucleotide fluorescence images of blood-perfused rat heart, 1849
Correia, J. J. *See* Lobert, Boyd, and Correia
——— *See* Vulevic and Correia
Covarrubias, M. *See* Jerng and Covarrubias
Craig, R. *See* Hodgkinson, Marston, Craig, Vibert, and Lehman
Cross, T. A. *See* Quine, Brenneman, and Cross
Crouch, R. K. *See* Govindjee, Imasheva, Misra, Balashov, Ebrey, Chen, Menick, and Crouch
Cruz, A. *See* Nag, Taneva, Perez-Gil, Cruz, and Keough
Cuda, G., Pate, E., Cooke, R., and Sellers, J. R. In vitro actin filament sliding velocities produced by mixtures of different types of myosin, 1767
Čulić, O. *See* Gruwel, Čulić, and Schrader
Czerlinski, G., Levin, R., and Ypma, T. Short-lived intermediates in aspartate aminotransferase systems, 1135
Czerski, L. *See* Vinogradova, Badola, Czerski, Sönnichsen, and Sanders
Czuryło, E. A., Hellweg, T., Eimer, W., and Dąbrowska, R. The size and shape of caldesmon and its fragments in solution studied by dynamic light scattering and hydrodynamic model calculations, 835

D

Dąbrowska, R. *See* Czuryło, Hellweg, Eimer, and Dąbrowska
Dahl, G. *See* Zhou, Pfahnl, Werner, Hudder, Llanes, Luebke, and Dahl
Daniels, B. S. *See* Edwards, Daniels, and Deen
——— *See* Edwards, Deen, and Daniels
Dathe, M. *See* Kaduk, Duclohier, Dathe, Wenschuh, Beyermann, Molle, and Bienert
Davis, D. K. *See* Gedde, Davis, and Huestis
Davis, P. J. *See* Worthman, Nag, Davis, and Keough
de Beer, E. L. *See* van der Heide, Ketelaars, Treijtel, de Beer, and Blangé
de la Fuente, M. and Ossa, C. G. Binding of phosphatidyl serine membranes causes a conformational change in the concave face of annexin I, 383
de la Maza, A. and Parra, J. L. Solubilizing effects caused by the nonionic surfactant dodecylmaltoside in phosphatidylcholine liposomes, 1668
de Souza, O. N. and Ornstein, R. L. Effect of periodic box size on aqueous molecular dynamics simulation of a DNA dodecamer with particle-mesh Ewald method, 2395
Deen, W. M. *See* Edwards, Daniels, and Deen
——— *See* Edwards, Deen, and Daniels
DeFranceschi, A. A. *See* Demir, Butera, DeFranceschi, Clark, and Byrne
Dembo, M. *See* Neelamegham, Taylor, Hellums, Dembo, Smith, and Simon
Demeler, B., Saber, H., and Hansen, J. C. Identification and interpretation of complexity in sedimentation velocity boundaries, 397
Demidov, V. V., Yavnilovich, M. V., and Frank-Kamenetskii, M. D. Kinetic analysis of specificity of duplex DNA targeting by homopyrimidine peptide nucleic acids, 2763
Demir, S. S., Butera, R. J., Jr., DeFranceschi, A. A., Clark, J. W., Jr., and Byrne, J. H. Phase sensitivity and entrainment in a modeled bursting neuron, 579
Dempsey, C. E. *See* Gibbs, Sessions, Williams, and Dempsey
Denisov, G. A. *See* Antonenko, Pohl, and Denisov
Desmadril, M. *See* Petrescu, Receveur, Calmettes, Durand, Desmadril, Roux, and Smith
Dettmann, W. *See* Ludwig, Dettmann, and Gaub
DeWolf, C., McCauley, P., Sikorski, A. F., Winlove, C. P., Bailey, A. I., Kahana, E., Pinder, J. C., and Gratzer, W. B. Interaction of dystrophin fragments with model membranes, 2599
DeYoreo, J. J. *See* Kuznetsov, Malkin, Land, DeYoreo, Barba, Konnert, and McPherson
Dietrich, C., Merkel, R., and Tampé, R. Diffusion measurement of fluorescence-labeled amphiphilic molecules with a standard fluorescence microscope, 1701
Doglia, S. M. *See* Antonini, Hillen, Ettner, Hinrichs, Fantucci, Doglia, Bousquet, and Chabbert
Donath, E. *See* Prüger, Eppmann, Donath, and Gimsa
Dong, W.-J., Wang, C.-K., Gordon, A. M., and Cheung, H. C. Disparate fluorescence properties of 2-[4′-(iodoacetamido)anilino]-naphthalene-6-sulfonic acid attached to Cys-84 and Cys-35 of troponin C in cardiac muscle troponin, 850
Döring, K., Beck, W., Konermann, L., and Jähnig, F. The use of a long-lifetime component of tryptophan to detect slow orientational fluctuations of proteins, 326
Doruker, P. and Bahar, I. Role of water on unfolding kinetics of helical peptides studied by molecular dynamics simulations, 2445
Dreyer, I., Antunes, S., Hoshi, T., Müller-Röber, B., Palme, K., Pongs, O., Reintanz, B., and Hedrich, R. Plant K^+ channel α-subunits assemble indiscriminately, 2143

Duclohier, H. *See* Kaduk, Duclohier, Dathe, Wenschuh, Beyermann, Molle, and Bienert
Dudel, J. *See* Heckmann and Dudel
Dufourcq, J. *See* Méléard, Gerbeaud, Pott, Fernandez-Puente, Bivas, Mitov, Dufourcq, and Bothorel
Dulhunty, A. F. *See* Ahern, Junankar, and Dulhunty
Dupuis, D. E. *See* Guilford, Dupuis, Kennedy, Wu, Patlak, and Warshaw
Durand, D. *See* Petrescu, Receveur, Calmettes, Durand, Desmadril, Roux, and Smith

E

Ebrey, T. G. *See* Govindjee, Imasheva, Misra, Balashov, Ebrey, Chen, Menick, and Crouch
Edelstein, A. L. *See* Agmon and Edelstein
Edholm, O. *See* Berger, Edholm, and Jähnig
Edwards, A., Daniels, B. S., and Deen, W. M. Hindered transport of macromolecules in isolated glomeruli. II. Convection and pressure effects in basement membrane, 214
———, Deen, W. M., and Daniels, B. S. Hindered transport of macromolecules in isolated glomeruli. I. Diffusion across intact and cell-free capillaries, 204
Edwards, K. *See* Basáñez, Ruiz-Argüello, Alonso, Goñi, Karlsson, and Edwards
Eimer, W. *See* Czuryło, Hellweg, Eimer, and Dąbrowska
Eisenberg, B. *See* Chen, Lear, and Eisenberg
Ellison, E. H. and Castellino, F. J. Adsorption of bovine prothrombin to spread phospholipid monolayers, 2605
Engel, A. A closer look at a molecular motor by atomic force microscopy, 988
Engelhardt, P. *See* Lakowicz, Gryczynski, Malak, Schrader, Engelhardt, Kano, and Hell
Eppmann, P. *See* Prüger, Eppmann, Donath, and Gimsa
Epstein, M. *See* Forcinito, Epstein, and Herzog
Eriksson, L. A. *See* Himo, Gräslund, and Eriksson
Escobar, A. *See* Vélez, Györke, Escobar, Vergara, and Fill
Ettner, N. *See* Antonini, Hillen, Ettner, Hinrichs, Fantucci, Doglia, Bousquet, and Chabbert
Evans, E. and Ritchie, K. Dynamic strength of molecular adhesion bonds, 1541

F

Falvo, M., Washburn, S., Superfine, R., Finch, M., Brooks, F. P., Jr., Chi, V., and Taylor, R. M., II Manipulation of individual viruses: friction and mechanical properties, 1396
Fantucci, P. *See* Antonini, Hillen, Ettner, Hinrichs, Fantucci, Doglia, Bousquet, and Chabbert
Farnell, L. *See* Bennett, Farnell, Gibson, and Lavidis
Feller, S. E. *See* Petrache, Feller, and Nagle
Fendler, K. *See* Hartung, Froehlich, and Fendler
Fernandez-Puente, L. *See* Méléard, Gerbeaud, Pott, Fernandez-Puente, Bivas, Mitov, Dufourcq, and Bothorel
Ferrone, F. A. *See* Cao and Ferrone
Filabozzi, A. *See* Bellissent-Funel, Filabozzi, and Chen
Fill, M. *See* Vélez, Györke, Escobar, Vergara, and Fill
Finch, M. *See* Falvo, Washburn, Superfine, Finch, Brooks, Chi, and Taylor
Fojta, M., Vetterl, V., Tomschik, M., Jelen, F., Nielsen, P., Wang, J., and Paleček, E. Adsorption of peptide nucleic acid and DNA decamers at electrically charged surfaces, 2285
Forcinito, M., Epstein, M., and Herzog, W. Theoretical considerations on myofibril stiffness, 1278
Ford, L. E. *See* Seow and Ford
Forman, S. A. Homologous mutations on different subunits cause unequal but additive effects on *n*-alcohol block in the nicotinic receptor pore, 2170
Fox, R. F. Stochastic versions of the Hodgkin-Huxley equations, 2068
Frank-Kamenetskii, M. D. *See* Demidov, Yavnilovich, and Frank-Kamenetskii
Fratzl, P. *See* Misof, Rapp, and Fratzl
Frisbie, S. M., Chalovich, J. M., Brenner, B., and Yu, L. C. Modulation of crossbridge affinity for MgGTP by Ca^{2+} in skinned fibers of rabbit psoas muscle, 2255
Froehlich, J. P. *See* Hartung, Froehlich, and Fendler
Froncisz, W. *See* Piasecki, Salwiński, and Froncisz
Fujiki, Y. *See* Sasaki, Yasuda, Suzuki, Ishibashi, Satoh, Fujiki, and Ishiwata
Fukunishi, Y. *See* Suzuki, Shigematsu, Fukunishi, Harada, Yanagida, and Kodama
Fuller, C. M., Berdiev, B. K., Shlyonsky, V. G., Ismailov, I. I., and Benos, D. J. Point mutations in αbENaC regulate channel gating, ion selectivity, and sensitivity to amiloride, 1622

G

Gabdoulline, R. R. and Wade, R. C. Simulation of the diffusional association of barnase and barstar, 1917
Gabellieri, E., Strambini, G. B., Baracca, A., and Solaini, G. Structural mapping of the ϵ-subunit of mitochondrial H^+-ATPase complex (F_1), 1818
Gadella, T. W. J., Jr., Vereb, G., Jr., Hadri, A.-E., Röhrig, H., Schmidt, J., John, M., Schell, J., and Bisseling, T. Microspectroscopic imaging of nodulation factor-binding sites on living *Vicia sativa* roots using a novel bioactive fluorescent nodulation factor, 1986
Gallo, S. A., Oseroff, A. R., Johnson, P. G., and Hui, S. W. Characterization of electric-pulse-induced permeabilization of porcine skin using surface electrodes, 2805
García, J., Nakai, J., Imoto, K., and Beam, K. G. Role of S4 segments and the leucine heptad motif in activation of an L-type calcium channel, 2515
Garcia, R. A. *See* Laney, Garcia, Parsons, and Hansma
Garidel, P., Johann, C., and Blume, A. Nonideal mixing and phase separation in phosphatidylcholine-phosphatidic acid mixtures as a function of acyl chain length and pH, 2196
Gärtner, W. *See* Strassburger, Gärtner, and Braslavsky
Gascoyne, P. R. C. *See* Wang, Huang, Wang, Becker, and Gascoyne
Gaub, H. E. *See* Ludwig, Dettmann, and Gaub
Gedde, M. M., Davis, D. K., and Huestis, W. H. Cytoplasmic pH and human erythrocyte shape, 1234
——— and Huestis, W. H. Membrane potential and human erythrocyte shape, 1220
Gelles, J. *See* Wang, Yin, Landick, Gelles, and Block
Georgalis, Y. *See* Soumpasis and Georgalis
Gerbeaud, C. *See* Méléard, Gerbeaud, Pott, Fernandez-Puente, Bivas, Mitov, Dufourcq, and Bothorel
Gervais, P. *See* Beney, Perrier-Cornet, Hayert, and Gervais
Ghanam, M. *See* Paternostre, Viard, Meyer, Ghanam, Ollivon, and Blumenthal
Gheber, L. and Priel, Z. Extraction of cilium beat parameters by the combined application of photoelectric measurements and computer simulation, 449
Gibbs, N., Sessions, R. B., Williams, P. B., and Dempsey, C. E. Helix bending in alamethicin: molecular dynamics simulations and amide hydrogen exchange in methanol, 2490
Gibson, W. G. *See* Bennett, Farnell, Gibson, and Lavidis
Gilson, M. K., Given, J. A., Bush, B. L., and McCammon, J. A. The statistical-thermodynamic basis for computation of binding affinities: a critical review, 1047

Gimsa, J. *See* Prüger, Eppmann, Donath, and Gimsa
Given, J. A. *See* Gilson, Given, Bush, and McCammon
Golbeck, J. H. *See* Vassiliev, Jung, Mamedov, Semenov, and Golbeck
Goñi, F. M. *See* Basáñez, Ruiz-Argüello, Alonso, Goñi, Karlsson, and Edwards
Goodenough, D. *See* Perkins, Goodenough, and Sosinsky
Gordon, A. M., LaMadrid, M. A., Chen, Y., Luo, Z., and Chase, P. B. Calcium regulation of skeletal muscle thin filament motility in vitro, 1295
——— *See* Dong, Wang, Gordon, and Cheung
Govindjee, R., Imasheva, E. S., Misra, S., Balashov, S. P., Ebrey, T. G., Chen, N., Menick, D. R., and Crouch, R. K. Mutation of a surface residue, lysine-129, reverses the order of proton release and uptake in bacteriorhodopsin; guanidine hydrochloride restores it, 886
Gräslund, A. *See* Himo, Gräslund, and Eriksson
Gratton, E. *See* Bernsdorff, Wolf, Winter, and Gratton
——— *See* Masters, So, and Gratton
——— *See* Parassasi, Gratton, Yu, Wilson, and Levi
Gratzer, W. B. *See* DeWolf, McCauley, Sikorski, Winlove, Bailey, Kahana, Pinder, and Gratzer
Grimm, R., Bärmann, M., Häckl, W., Typke, D., Sackmann, E., and Baumeister, W. Energy filtered electron tomography of ice-embedded actin and vesicles, 482
Groschner, K. *See* Baumgartner, Hohenthanner, Höfer, Groschner, and Romanin
Gruwel, M. L. H., Čulić, O., and Schrader, J. A ^{133}Cs nuclear magnetic resonance study of endothelial Na^+-K^+-ATPase activity: can actin regulate its activity?, 2775
Gryczynski, I. *See* Lakowicz, Gryczynski, Malak, Schrader, Engelhardt, Kano, and Hell
Gualtieri, P. *See* Barsanti, Passarelli, Walne, and Gualtieri
Guilford, W. H., Dupuis, D. E., Kennedy, G., Wu, J., Patlak, J. B., and Warshaw, D. M. Smooth muscle and skeletal muscle myosins produce similar unitary forces and displacements in the laser trap, 1006
Gunner, M. R. *See* Alexov and Gunner
——— *See* van Beek, Callender, and Gunner
Györke, S. *See* Vélez, Györke, Escobar, Vergara, and Fill

H

Häckl, W. *See* Grimm, Bärmann, Häckl, Typke, Sackmann, and Baumeister
Hadri, A.-E. *See* Gadella, Vereb, Hadri, Röhrig, Schmidt, John, Schell, and Bisseling
Haggie, P. M. *See* Williams, Haggie, and Brindle
Hammer, D. A. *See* Brunk and Hammer
Hanlon, S., Wong, L., and Pack, G. R. Proton equilibria in the minor groove of DNA, 291
Hansen, J. C., Skalak, R., Chien, S., and Hoger, A. Influence of network topology on the elasticity of the red blood cell membrane skeleton, 2369
——— *See* Demeler, Saber, and Hansen
Hansma, H. G. *See* Laney, Garcia, Parsons, and Hansma
Hansma, P. K. *See* Walters, Smith, Belcher, Paloczi, Stucky, Morse, and Hansma
Harada, Y. *See* Suzuki, Shigematsu, Fukunishi, Harada, Yanagida, and Kodama
Hartung, K., Froehlich, J. P., and Fendler, K. Time-resolved charge translocation by the Ca-ATPase from sarcoplasmic reticulum after an ATP concentration jump, 2503
Hartwell, R. *See* Heubach, Hartwell, Ledwon, Kraft, Brenner, and Chalovich
Haugh, J. M. and Lauffenburger, D. A. Physical modulation of intracellular signaling processes by locational regulation, 2014
Havlin, S. *See* Viswanathan, Buldyrev, Havlin, and Stanley
Hayert, M. *See* Beney, Perrier-Cornet, Hayert, and Gervais
Hayward, L. J., Brown, R. H., Jr., and Cannon, S. C. Slow inactivation differs among mutant Na channels associated with myotonia and periodic paralysis, 1204
Hearn, M. T. W. *See* Lazoura, Maidonis, Bayer, Hearn, and Aguilar
Heckmann, M. and Dudel, J. Desensitization and resensitization kinetics of glutamate receptor channels from *Drosophila* larval muscle, 2160
Hedrich, R. *See* Dreyer, Antunes, Hoshi, Müller-Röber, Palme, Pongs, Reintanz, and Hedrich
Hell, S. W. *See* Lakowicz, Gryczynski, Malak, Schrader, Engelhardt, Kano, and Hell
Hellums, J. D. *See* Neelamegham, Taylor, Hellums, Dembo, Smith, and Simon
Hellweg, T. *See* Czuryło, Hellweg, Eimer, and Dąbrowska
Helmchen, F., Borst, J. G. G., and Sakmann, B. Calcium dynamics associated with a single action potential in a CNS presynaptic terminal, 1458
Henry, E. R. The use of matrix methods in the modeling of spectroscopic data sets, 652
Herzog, W. *See* Forcinito, Epstein, and Herzog
Hetzer, M. *See* Linseisen, Hetzer, Brumm, and Bayerl
Heubach, J., Hartwell, R., Ledwon, M., Kraft, T., Brenner, B., and Chalovich, J. M. Inhibition of cross-bridge binding to actin by caldesmon fragments in skinned skeletal muscle fibers, 1287
Hillen, W. *See* Antonini, Hillen, Ettner, Hinrichs, Fantucci, Doglia, Bousquet, and Chabbert
Himo, F., Gräslund, A., and Eriksson, L. A. Density functional calculations on model tyrosyl radicals, 1556
Hinrichs, W. *See* Antonini, Hillen, Ettner, Hinrichs, Fantucci, Doglia, Bousquet, and Chabbert
Hiratsuka, T. Monitoring the myosin ATPase reaction using a sensitive fluorescent probe: pyrene-labeled ATP, 843
Hoang, C. P. *See* Swaminathan, Hoang, and Verkman
Hodgkinson, J. L., Marston, S. B., Craig, R., Vibert, P., and Lehman, W. Three-dimensional image reconstruction of reconstituted smooth muscle thin filaments: effects of caldesmon, 2398
Hoek, J. B. *See* Victorov, Janes, Taraschi, and Hoek
Höfer, G. F. *See* Baumgartner, Hohenthanner, Höfer, Groschner, and Romanin
Hoger, A. *See* Hansen, Skalak, Chien, and Hoger
Hohenberg, P. C. *See* Kupferman, Mitra, Hohenberg, and Wang
Hohenthanner, K. *See* Baumgartner, Hohenthanner, Höfer, Groschner, and Romanin
Hollingworth, S. *See* Zhao, Hollingworth, and Baylor
Homsher, E., Lacktis, J., and Regnier, M. Strain-dependent modulation of phosphate transients in rabbit skeletal muscle fibers, 1780
Horn, T. *See* Artmann, Sung, Horn, Whittemore, Norwich, and Chien
Hoshi, T. *See* Dreyer, Antunes, Hoshi, Müller-Röber, Palme, Pongs, Reintanz, and Hedrich
Huang, C. and McIntosh, T. J. Probing the ethanol-induced chain interdigitations in gel-state bilayers of mixed-chain phosphatidylcholines, 2702
Huang, Y. *See* Wang, Huang, Wang, Becker, and Gascoyne
Hudder, A. *See* Zhou, Pfahnl, Werner, Hudder, Llanes, Luebke, and Dahl
Hudspeth, A. J. *See* Burlacu, Tap, Lumpkin, and Hudspeth
Huestis, W. H. *See* Gedde, Davis, and Huestis
——— *See* Gedde and Huestis
Hui, S. W. *See* Gallo, Oseroff, Johnson, and Hui
Humphrey, W., Bamberg, E., and Schulten, K. Photoproducts of bacteriorhodopsin mutants: a molecular dynamics study, 1347

Hurst, R. S., Roux, M. J., Toro, L., and Stefani, E. External barium influences the gating charge movement of Shaker potassium channels, 77
Hustedt, E. J., Smirnov, A. I., Laub, C. F., Cobb, C. E., and Beth, A. H. Molecular distances from dipolar coupled spin labels: the global analysis of multifrequency continuous wave electron paramagnetic resonance data, 1861
Hwang, M.-J. *See* Yang, Lee, and Hwang
Hwang, W. C. and Waugh, R. E. Energy of dissociation of lipid bilayer from the membrane skeleton of red blood cells, 2669

I

Ide, T. *See* Yuto, Ide, and Kasai
Imasheva, E. S. *See* Govindjee, Imasheva, Misra, Balashov, Ebrey, Chen, Menick, and Crouch
Imoto, K. *See* García, Nakai, Imoto, and Beam
Ince, C. *See* Coremans, Ince, Bruining, and Puppels
Ishibashi, T. *See* Sasaki, Yasuda, Suzuki, Ishibashi, Satoh, Fujiki, and Ishiwata
Ishiwata, S. *See* Sasaki, Yasuda, Suzuki, Ishibashi, Satoh, Fujiki, and Ishiwata
Ismailov, I. I., Berdiev, B. K., Shlyonsky, V. G., and Benos, D. J. Mechanosensitivity of an epithelial Na^+ channel in planar lipid bilayers: release from Ca^{2+} block, 1182
——— *See* Fuller, Berdiev, Shlyonsky, Ismailov, and Benos
Ivanchenko, M., Zlatanova, J., and van Holde, K. Histone H1 preferentially binds to superhelical DNA molecules of higher compaction, 1388
Iwasa, T. *See* Nakagawa, Kikkawa, Iwasa, and Tsuda
Izrailev, S., Stepaniants, S., Balsera, M., Oono, Y., and Schulten, K. Molecular dynamics study of unbinding of the avidin-biotin complex, 1568

J

Jäger, F. *See* Weidlich, Ujj, Jäger, and Atkinson
Jähnig, F. *See* Berger, Edholm, and Jähnig
——— *See* Döring, Beck, Konermann, and Jähnig
Janes, N. *See* Victorov, Janes, Taraschi, and Hoek
Jarić, M. V. *See* Chou, Jarić, and Siggia
Jelen, F. *See* Fojta, Vetterl, Tomschik, Jelen, Nielsen, Wang, and Paleček
Jericho, M. H. *See* Xu, Blackford, Cordes, Jericho, Pink, Levadny, and Beveridge
Jerng, H. H. and Covarrubias, M. K^+ channel inactivation mediated by the concerted action of the cytoplasmic N- and C-terminal domains, 163
Johann, C. *See* Garidel, Johann, and Blume
John, M. *See* Gadella, Vereb, Hadri, Röhrig, Schmidt, John, Schell, and Bisseling
Johnson, P. G. *See* Gallo, Oseroff, Johnson, and Hui
Jones, L. R. *See* Kowdley, Ackerman, Chen, Szabo, Jones, and Moorman
Junankar, P. R. *See* Ahern, Junankar, and Dulhunty
Jung, Y.-S. *See* Vassiliev, Jung, Mamedov, Semenov, and Golbeck

K

Kado, M. *See* Rajyaguru, Kado, Richardson, and Muszynski
Kaduk, C., Duclohier, H., Dathe, M., Wenschuh, H., Beyermann, M., Molle, G., and Bienert, M. Influence of proline position upon the ion channel activity of alamethicin, 2151
Kahana, E. *See* DeWolf, McCauley, Sikorski, Winlove, Bailey, Kahana, Pinder, and Gratzer
Kanazirska, M. *See* Vassilev, Mitchel, Vassilev, Kanazirska, and Brown
Kano, H. *See* Lakowicz, Gryczynski, Malak, Schrader, Engelhardt, Kano, and Hell
Karlsson, G. *See* Basáñez, Ruiz-Argüello, Alonso, Goñi, Karlsson, and Edwards
Karpen, J. W. Why do cyclic nucleotide-gated channels have the jitters?, 986
Karplus, M. *See* Watanabe, Rosenbusch, Schirmer, and Karplus
Kasai, M. *See* Yuto, Ide, and Kasai
Kastowsky, M. *See* Obst, Kastowsky, and Bradaczek
Katritch, V. and Vologodskii, A. The effect of intrinsic curvature on conformational properties of circular DNA, 1070
Keizer, J. *See* Li, Stojilkovíc, Keizer, and Rinzel
Kennedy, G. *See* Guilford, Dupuis, Kennedy, Wu, Patlak, and Warshaw
Keough, K. M. W. *See* Nag, Taneva, Perez-Gil, Cruz, and Keough
——— *See* Worthman, Nag, Davis, and Keough
Ketelaars, M. *See* van der Heide, Ketelaars, Treijtel, de Beer, and Blangé
Keyes, R. S., Bobst, E. V., Cao, Y. Y., and Bobst, A. M. Overall and internal dynamics of DNA as monitored by five-atom-tethered spin labels, 282
Khanin, R., Parnas, H., and Segel, L. A mechanism for discharge of charged excitatory neurotransmitter, 507
Kikkawa, S. *See* Nakagawa, Kikkawa, Iwasa, and Tsuda
Kinnunen, P. K. J. *See* Lehtonen and Kinnunen
Kleene, S. J. *See* Larsson, Kleene, and Lecar
Kleijn, J. M. *See* Zhai and Kleijn
Kleinschmidt, J. H., Mahaney, J. E., Thomas, D. D., and Marsh, D. Interaction of bee venom melittin with zwitterionic and negatively charged phospholipid bilayers: a spin-label electron spin resonance study, 767
Klingauf, J. and Neher, E. Modeling buffered Ca^{2+} diffusion near the membrane: implications for secretion in neuroendocrine cells, 674
Kodama, T. *See* Suzuki, Shigematsu, Fukunishi, Harada, Yanagida, and Kodama
Konermann, L. *See* Döring, Beck, Konermann, and Jähnig
Konnert, J. *See* Kuznetsov, Malkin, Land, DeYoreo, Barba, Konnert, and McPherson
Koolhaas, M. H. C., van der Zwan, G., van Mourik, F., and van Grondelle, R. Spectroscopy and structure of bacteriochlorophyll dimers: I. Structural consequences of non-conservative circular dichroism spectra, 1828
Kosztin, D. *See* Bishop, Kosztin, and Schulten
Kowdley, G. C., Ackerman, S. J., Chen, Z., Szabo, G., Jones, L. R., and Moorman, J. R. Anion, cation, and zwitterion-selectivity of phospholemman channel molecules, 141
Kraft, T. and Brenner, B. Force enhancement without changes in cross-bridge turnover kinetics: the effect of EMD 57033, 272
——— *See* Heubach, Hartwell, Ledwon, Kraft, Brenner, and Chalovich
Kraut, J. *See* Chen, Kraut, and Callender
Krovetz, H. S., VanDongen, H. M. A., and VanDongen, A. M. J. Atomic distance estimates from disulfides and high-affinity metal-binding sites in a K^+ channel pore, 117
Kucera, J. P. *See* Rohr and Kucera
Kukuljan, M., Vergara, L., and Stojilkovic, S. S. Modulation of the kinetics of inositol 1,4,5-trisphosphate-induced $[Ca^{2+}]_i$ oscillations by calcium entry in pituitary gonadotrophs, 698
Kunnumal, B. *See* Pappu, Kunnumal, and Serpersu
Kuntz, R. M. and Saltzman, W. M. Neutrophil motility in extracellular matrix gels: mesh size and adhesion affect speed of migration, 1472
Kupferman, R., Mitra, P. P., Hohenberg, P. C., and Wang, S. S.-H. Analytical calculation of intracellular calcium wave characteristics, 2430

Kushkuley, B. and Stavrov, S. S. Theoretical study of the electrostatic and steric effects on the spectroscopic characteristics of the metal-ligand unit of heme proteins. 2. C-O vibrational frequencies, ^{17}O isotropic chemical shifts, and nuclear quadrupole coupling constants, 899

Kuznetsov, Y. G., Malkin, A. J., Land, T. A., DeYoreo, J. J., Barba, A. P., Konnert, J., and McPherson, A. Molecular resolution imaging of macromolecular crystals by atomic force microscopy, 2357

Kuznetsova, N., Rau, D. C., Parsegian, V. A., and Leikin, S. Solvent hydrogen-bond network in protein self-assembly: solvation of collagen triple helices in non-aqueous solvents, 353

L

Lacapère, J.-J. *See* Young, Rigaud, Lacapère, Reddy, and Stokes

Lacktis, J. *See* Homsher, Lacktis, and Regnier

Ladokhin, A. S., Selsted, M. E., and White, S. H. Bilayer interactions of indolicidin, a small antimicrobial peptide rich in tryptophan, proline, and basic amino acids, 794

———, Selsted, M. E., and White, S. H. Sizing membrane pores in lipid vesicles by leakage of co-encapsulated markers: pore formation by melittin, 1762

Lafrance, C.-P., Blochet, J.-E., and Pézolet, M. *N*-Acylphosphatidylethanolamines: effect of the *N*-acyl chain length on its orientation, 2559

Lakowicz, J. R., Gryczynski, I., Malak, H., Schrader, M., Engelhardt, P., Kano, H., and Hell, S. W. Time-resolved fluorescence spectroscopy and imaging of DNA labeled with DAPI and Hoechst 33342 using three-photon excitation, 567

LaMadrid, M. A. *See* Gordon, LaMadrid, Chen, Luo, and Chase

Land, T. A. *See* Kuznetsov, Malkin, Land, DeYoreo, Barba, Konnert, and McPherson

Landick, R. *See* Wang, Yin, Landick, Gelles, and Block

Laney, D. E., Garcia, R. A., Parsons, S. M., and Hansma, H. G. Changes in the elastic properties of cholinergic synaptic vesicles as measured by atomic force microscopy, 806

Larsson, H. P., Kleene, S. J., and Lecar, H. Noise analysis of ion channels in non-space-clamped cables: estimates of channel parameters in olfactory cilia, 1193

Laub, C. F. *See* Hustedt, Smirnov, Laub, Cobb, and Beth

Laue, T. Advances in sedimentation velocity analysis, 395

Lauffenburger, D. A. *See* Haugh and Lauffenburger

Laval, J. M. *See* Marchal, Boireau, Laval, Moiroux, and Bourdillon

Lavidis, N. A. *See* Bennett, Farnell, Gibson, and Lavidis

Lazoura, E., Maidonis, I., Bayer, E., Hearn, M. T. W., and Aguilar, M.-I. Conformational analysis of neuropeptide Y-[18–36] analogs in hydrophobic environments, 238

Lear, J. *See* Chen, Lear, and Eisenberg

Lecar, H. *See* Larsson, Kleene, and Lecar

Ledwon, M. *See* Heubach, Hartwell, Ledwon, Kraft, Brenner, and Chalovich

Lee, C.-Y. *See* Yang, Lee, and Hwang

Lee, K. Y. C. *See* Lipp, Lee, Waring, and Zasadzinski

Lehman, W. *See* Hodgkinson, Marston, Craig, Vibert, and Lehman

Lehtonen, J. Y. A. and Kinnunen, P. K. J. Evidence for phospholipid microdomain formation in liquid crystalline liposomes reconstituted with *Escherichia coli* lactose permease, 1247

Leikin, S. *See* Kuznetsova, Rau, Parsegian, and Leikin

Leonard, D. W. and Meek, K. M. Refractive indices of the collagen fibrils and extrafibrillar material of the corneal stroma, 1382

Levadny, V. G. *See* Xu, Blackford, Cordes, Jericho, Pink, Levadny, and Beveridge

Levi, M. *See* Parassasi, Gratton, Yu, Wilson, and Levi

Levin, I. W. *See* Batenjany, O'Leary, Levin, and Mason

Levin, R. *See* Czerlinski, Levin, and Ypma

Lewis, R. N. A. H. *See* Zhang, Lewis, and McElhaney

Li, W. X. *See* Xie, Li, Barnett, and Schoenberg

Li, Y.-X., Stojilkovíc, S. S., Keizer, J., and Rinzel, J. Sensing and refilling calcium stores in an excitable cell, 1080

Lin, Y. *See* Murali, Lin, Mechulam, Plateau, and Rao

Linseisen, F. M., Hetzer, M., Brumm, T., and Bayerl, T. M. Differences in the physical properties of lipid monolayers and bilayers on a spherical solid support, 1659

Lipp, M. M., Lee, K. Y. C., Waring, A., and Zasadzinski, J. A. Fluorescence, polarized fluorescence, and Brewster angle microscopy of palmitic acid and lung surfactant protein B monolayers, 2783

Liu, F., Sugar, I. P., and Chong, P. L.-G. Cholesterol and ergosterol superlattices in three-component liquid crystalline lipid bilayers as revealed by dehydroergosterol fluorescence, 2243

Llanes, A. *See* Zhou, Pfahnl, Werner, Hudder, Llanes, Luebke, and Dahl

Lobert, S., Boyd, C. A., and Correia, J. J. Divalent cation and ionic strength effects on *Vinca* alkaloid-induced tubulin self-association, 416

LoBrutto, R. *See* van Noort, Zhu, LoBrutto, and Blankenship

Lomize, A. L. *See* Pogozheva, Lomize, and Mosberg

Loura, L. M. S. and Prieto, M. Dehydroergosterol structural organization in aqueous medium and in a model system of membranes, 2226

Lu, J. and Van Halbeek, H. Molecular motions of a glycopeptide from human serum transferrin studied by ^{13}C nuclear magnetic resonance, 470

Ludwig, M., Dettmann, W., and Gaub, H. E. Atomic force microscope imaging contrast based on molecular recognition, 445

Lue, A. J.-C. *See* Sit, Spector, Lue, Popel, and Brownell

Luebke, A. *See* Zhou, Pfahnl, Werner, Hudder, Llanes, Luebke, and Dahl

Lumpkin, E. A. *See* Burlacu, Tap, Lumpkin, and Hudspeth

Luo, Z. *See* Gordon, LaMadrid, Chen, Luo, and Chase

Luzzati, V. *See* Mateu, Morán, Padrón, Borgo, Vonasek, Márquez, and Luzzati

Lynch, J. W. *See* Chiu, Lynch, and Barry

M

MacLeod, K. T. *See* Terracciano and MacLeod

Magleby, K. L. *See* Rothberg, Bello, and Magleby

Mahaney, J. E. *See* Kleinschmidt, Mahaney, Thomas, and Marsh

Maidonis, I. *See* Lazoura, Maidonis, Bayer, Hearn, and Aguilar

Mak, D.-O. D. and Webb, W. W. Conductivity noise in transmembrane ion channels due to ion concentration fluctuations via diffusion, 1153

Malak, H. *See* Lakowicz, Gryczynski, Malak, Schrader, Engelhardt, Kano, and Hell

Malkin, A. J. *See* Kuznetsov, Malkin, Land, DeYoreo, Barba, Konnert, and McPherson

Mamedov, M. D. *See* Vassiliev, Jung, Mamedov, Semenov, and Golbeck

Marban, E. *See* Pérez-García, Chiamvimonvat, Ranjan, Balser, Tomaselli, and Marban

Marchal, D., Boireau, W., Laval, J. M., Moiroux, J., and Bourdillon, C. An electrochemical approach of the redox behavior of water insoluble ubiquinones or plastoquinones incorporated in supported phospholipid layers, 2679

Markin, V. S. *See* Tanelian and Markin

Márquez, G. *See* Mateu, Morán, Padrón, Borgo, Vonasek, Márquez, and Luzzati

Marrone, T. J. *See* Resat, Marrone, and McCammon
Marsh, D. Dichroic ratios in polarized Fourier transform infrared for non-axial symmetry of β-sheet structures, 2710
——— Nonlamellar packing parameters for diacylglycerols, 2834
——— *See* Kleinschmidt, Mahaney, Thomas, and Marsh
——— *See* Piknová, Marsh, and Thompson
Marston, S. B. *See* Hodgkinson, Marston, Craig, Vibert, and Lehman
Marszalek, P. *See* Xie, Chen, Marszalek, and Tsong
Martin, O. C. *See* Chen, Martin, and Pagano
Mashiko, S. *See* Suzuki, Yamada, Oiwa, Nakayama, and Mashiko
Mason, J. T. *See* Batenjany, O'Leary, Levin, and Mason
Massey, J. B., Bick, D. H., and Pownall, H. J. Spontaneous transfer of monoacyl amphiphiles between lipid and protein surfaces, 1732
Masters, B. R., So, P. T. C., and Gratton, E. Multiphoton excitation fluorescence microscopy and spectroscopy of in vivo human skin, 2405
Mateu, L., Morán, O., Padrón, R., Borgo, M., Vonasek, E., Márquez, G., and Luzzati, V. The action of local anesthetics on myelin structure and nerve conduction in toad sciatic nerve, 2581
McCammon, J. A. *See* Gilson, Given, Bush, and McCammon
——— *See* Resat, Marrone, and McCammon
McCauley, P. *See* DeWolf, McCauley, Sikorski, Winlove, Bailey, Kahana, Pinder, and Gratzer
McDonough, S. I., Mintz, I. M., and Bean, B. P. Alteration of P-type calcium channel gating by the spider toxin ω-Aga-IVA, 2117
McElhaney, R. N. *See* Zhang, Lewis, and McElhaney
McFarlane, M. B. Depolarization-induced slowing of Ca^{2+} channel deactivation in squid neurons, 1607
McIntosh, T. J. *See* Huang and McIntosh
McPherson, A. *See* Kuznetsov, Malkin, Land, DeYoreo, Barba, Konnert, and McPherson
Mechulam, Y. *See* Murali, Lin, Mechulam, Plateau, and Rao
Meek, K. M. *See* Leonard and Meek
Méléard, P., Gerbeaud, C., Pott, T., Fernandez-Puente, L., Bivas, I., Mitov, M. D., Dufourcq, J., and Bothorel, P. Bending elasticities of model membranes: influences of temperature and sterol content, 2616
Melo, E. *See* Coelho, Vaz, and Melo
Menick, D. R. *See* Govindjee, Imasheva, Misra, Balashov, Ebrey, Chen, Menick, and Crouch
Merkel, R. *See* Dietrich, Merkel, and Tampé
Metzger, J. M. *See* Wahr, Cantor, and Metzger
Meyer, O. *See* Paternostre, Viard, Meyer, Ghanam, Ollivon, and Blumenthal
Meyer-Almes, F.-J. *See* Schwille, Meyer-Almes, and Rigler
Mienville, J.-M. and Clay, J. R. Ion conductance of the Ca^{2+}-activated maxi-K^+ channel from the embryonic rat brain, 188
Mintz, I. M. *See* McDonough, Mintz, and Bean
Misler, S. *See* Barnett and Misler
Misof, K., Rapp, G., and Fratzl, P. A new molecular model for collagen elasticity based on synchrotron x-ray scattering evidence, 1376
Misra, S. *See* Govindjee, Imasheva, Misra, Balashov, Ebrey, Chen, Menick, and Crouch
Mitchel, J. *See* Vassilev, Mitchel, Vassilev, Kanazirska, and Brown
Mitov, M. D. *See* Méléard, Gerbeaud, Pott, Fernandez-Puente, Bivas, Mitov, Dufourcq, and Bothorel
Mitra, P. P. *See* Kupferman, Mitra, Hohenberg, and Wang
Mock, A. F. *See* Tiwari-Woodruff, Schulteis, Mock, and Papazian
Moiroux, J. *See* Marchal, Boireau, Laval, Moiroux, and Bourdillon
Molle, G. *See* Kaduk, Duclohier, Dathe, Wenschuh, Beyermann, Molle, and Bienert
Molloy, J. E. and White, D. C. S. Smooth and skeletal muscle single-molecule mechanical experiments, 984
Moorman, J. R. *See* Kowdley, Ackerman, Chen, Szabo, Jones, and Moorman
Morán, O. *See* Mateu, Morán, Padrón, Borgo, Vonasek, Márquez, and Luzzati
Moroz, J. D. and Nelson, P. Dynamically stabilized pores in bilayer membranes, 2211
Morse, D. E. *See* Walters, Smith, Belcher, Paloczi, Stucky, Morse, and Hansma
Mosberg, H. I. *See* Pogozheva, Lomize, and Mosberg
Mukerji, I. *See* Chan, Austin, Mukerji, and Spiro
Müller-Röber, B. *See* Dreyer, Antunes, Hoshi, Müller-Röber, Palme, Pongs, Reintanz, and Hedrich
Munn, L. L. *See* Neelamegham, Munn, and Zygourakis
Murali, N., Lin, Y., Mechulam, Y., Plateau, P., and Rao, B. D. N. Adenosine conformations of nucleotides bound to methionyl tRNA synthetase by transferred nuclear Overhauser effect spectroscopy, 2275
Muszynski, M. J. *See* Rajyaguru, Kado, Richardson, and Muszynski

N

Nag, K., Taneva, S. G., Perez-Gil, J., Cruz, A., and Keough, K. M. W. Combinations of fluorescently labeled pulmonary surfactant proteins SP-B and SP-C in phospholipid films, 2638
——— *See* Worthman, Nag, Davis, and Keough
Nagle, J. F. *See* Petrache, Feller, and Nagle
Nakagawa, M., Kikkawa, S., Iwasa, T., and Tsuda, M. Light-induced protein conformational changes in the photolysis of octopus rhodopsin, 2320
Nakai, J. *See* García, Nakai, Imoto, and Beam
Nakayama, H. *See* Suzuki, Yamada, Oiwa, Nakayama, and Mashiko
Narayanan, K., Chandani, S., Ramakrishna, T., and Rao, C. M. Depth profiling of mammalian cells by photoacoustic spectroscopy: localization of ligands, 2365
Neelamegham, S., Munn, L. L., and Zygourakis, K. A model for the kinetics of homotypic cellular aggregation under static conditions, 51
———, **Taylor, A. D., Hellums, J. D., Dembo, M., Smith, C. W., and Simon, S. I.** Modeling the reversible kinetics of neutrophil aggregation under hydrodynamic shear, 1527
Neher, E. *See* Klingauf and Neher
Nelson, P. *See* Moroz and Nelson
Newman, J. *See* Bulone, Newman, and Biagio
Nielsen, P. *See* Fojta, Vetterl, Tomschik, Jelen, Nielsen, Wang, and Paleček
Nizzari, M. *See* Bucossi, Nizzari, and Torre
North, C. and Cafiso, D. S. Contrasting membrane localization and behavior of halogenated cyclobutanes that follow or violate the Meyer-Overton hypothesis of general anesthetic potency, 1754
Norwich, G. *See* Artmann, Sung, Horn, Whittemore, Norwich, and Chien

O

Obst, S., Kastowsky, M., and Bradaczek, H. Molecular dynamics simulations of six different fully hydrated monomeric conformers of *Escherichia coli* re-lipopolysaccharide in the presence and absence of Ca^{2+}, 1031
Oiwa, K. *See* Suzuki, Yamada, Oiwa, Nakayama, and Mashiko
O'Leary, T. J. *See* Batenjany, O'Leary, Levin, and Mason
Ollivon, M. *See* Paternostre, Viard, Meyer, Ghanam, Ollivon, and Blumenthal

Oono, Y. *See* Izrailev, Stepaniants, Balsera, Oono, and Schulten
Ornstein, R. L. *See* de Souza and Ornstein
Oseroff, A. R. *See* Gallo, Oseroff, Johnson, and Hui
Ossa, C. G. *See* de la Fuente and Ossa

P

Pack, G. R. *See* Hanlon, Wong, and Pack
Padrón, R. *See* Mateu, Morán, Padrón, Borgo, Vonasek, Márquez, and Luzzati
Pagano, R. E. *See* Chen, Martin, and Pagano
Paleček, E. *See* Fojta, Vetterl, Tomschik, Jelen, Nielsen, Wang, and Paleček
Palme, K. *See* Dreyer, Antunes, Hoshi, Müller-Röber, Palme, Pongs, Reintanz, and Hedrich
Paloczi, G. T. *See* Walters, Smith, Belcher, Paloczi, Stucky, Morse, and Hansma
Papazian, D. M. *See* Tiwari-Woodruff, Schulteis, Mock, and Papazian
Pappu, K. M., Kunnumal, B., and Serpersu, E. H. A new metal-binding site for yeast phosphoglycerate kinase as determined by the use of a metal-ATP analog, 928
Parassasi, T., Gratton, E., Yu, W. M., Wilson, P., and Levi, M. Two-photon fluorescence microscopy of laurdan generalized polarization domains in model and natural membranes, 2413
Parnas, H. *See* Khanin, Parnas, and Segel
Parra, J. L. *See* de la Maza and Parra
Parsegian, V. A. *See* Kuznetsova, Rau, Parsegian, and Leikin
——— *See* Podgornik and Parsegian
Parsons, S. M. *See* Laney, Garcia, Parsons, and Hansma
Passarelli, V. *See* Barsanti, Passarelli, Walne, and Gualtieri
Pate, E. *See* Cuda, Pate, Cooke, and Sellers
Paternostre, M., Viard, M., Meyer, O., Ghanam, M., Ollivon, M., and Blumenthal, R. Solubilization and reconstitution of vesicular stomatitis virus envelope using octylglucoside, 1683
Patlak, J. B. *See* Guilford, Dupuis, Kennedy, Wu, Patlak, and Warshaw
Pecht, I. *See* Schweitzer-Stenner, Tamir, and Pecht
Pelzer, D. J. *See* You, Pelzer, and Pelzer
Pelzer, S. *See* You, Pelzer, and Pelzer
Pennefather, P. S. *See* Uteshev and Pennefather
Peracchia, C. *See* Bukauskas and Peracchia
Pérez-García, M. T., Chiamvimonvat, N., Ranjan, R., Balser, J. R., Tomaselli, G. F., and Marban, E. Mechanisms of sodium/calcium selectivity in sodium channels probed by cysteine mutagenesis and sulfhydryl modification, 989
Perez-Gil, J. *See* Nag, Taneva, Perez-Gil, Cruz, and Keough
Perkins, G., Goodenough, D., and Sosinsky, G. Three-dimensional structure of the gap junction connexon, 533
Perrier-Cornet, J.-M. *See* Beney, Perrier-Cornet, Hayert, and Gervais
Petrache, H. I., Feller, S. E., and Nagle, J. F. Determination of component volumes of lipid bilayers from simulations, 2237
Petrescu, A.-J., Receveur, V., Calmettes, P., Durand, D., Desmadril, M., Roux, B., and Smith, J. C. Small angle neutron scattering by a strongly denatured protein: analysis using random polymer theory, 335
Pézolet, M. *See* Lafrance, Blochet, and Pézolet
Pfahnl, A. *See* Zhou, Pfahnl, Werner, Hudder, Llanes, Luebke, and Dahl
Philo, J. S. An improved function for fitting sedimentation velocity data for low-molecular-weight solutes, 435
Piasecki, W., Salwiński, L., and Froncisz, W. New model of charged molecule redistribution induced in spherical vesicles by direct current electric field, 613
Piknová, B., Marsh, D., and Thompson, T. E. Fluorescence quenching and electron spin resonance study of percolation in a two-phase lipid bilayer containing bacteriorhodopsin, 2660
Pinder, J. C. *See* DeWolf, McCauley, Sikorski, Winlove, Bailey, Kahana, Pinder, and Gratzer
Pink, D. A. *See* Xu, Blackford, Cordes, Jericho, Pink, Levadny, and Beveridge
Plateau, P. *See* Murali, Lin, Mechulam, Plateau, and Rao
Podgornik, R. and Parsegian, V. A. On a possible microscopic mechanism underlying the vapor pressure paradox, 942
Pogozheva, I. D., Lomize, A. L., and Mosberg, H. I. The transmembrane 7-α-bundle of rhodopsin: distance geometry calculations with hydrogen bonding constraints, 1963
Pohl, P., Saparov, S. M., and Antonenko, Y. N. The effect of a transmembrane osmotic flux on the ion concentration distribution in the immediate membrane vicinity measured by microelectrodes, 1711
Pohl, P. *See* Antonenko, Pohl, and Denisov
Polm, M. W. and Schaafsma, T. J. Triplet state magnetic resonance and fluorescence spectroscopy of metal-substituted hemoglobins, 373
Pongs, O. *See* Dreyer, Antunes, Hoshi, Müller-Röber, Palme, Pongs, Reintanz, and Hedrich
Popel, A. S. *See* Sit, Spector, Lue, Popel, and Brownell
Pott, T. *See* Méléard, Gerbeaud, Pott, Fernandez-Puente, Bivas, Mitov, Dufourcq, and Bothorel
Powell, J. W. *See* Chen, Powell, and Prohofsky
Pownall, H. J. *See* Massey, Bick, and Pownall
Priel, Z. *See* Gheber and Priel
Prieto, M. *See* Loura and Prieto
Prohofsky, E. W. *See* Chen, Powell, and Prohofsky
Prüger, B., Eppmann, P., Donath, E., and Gimsa, J. Measurement of inherent particle properties by dynamic light scattering: introducing electrorotational light scattering, 1414
Prunell, A. Linker histones' role revisited, 983
Puppels, G. J. *See* Coremans, Ince, Bruining, and Puppels

Q

Quastel, D. M. J. The binomial model in fluctuation analysis of quantal neurotransmitter release, 728
Quine, J. R., Brenneman, M., and Cross, T. A. Protein structural analysis from solid-state NMR-derived orientational constraints, 2342

R

Rajyaguru, J. M., Kado, M., Richardson, M. C., and Muszynski, M. J. X-ray micrography and imaging of *Escherichia coli* cell shape using laser plasma pulsed point x-ray sources, 1521
Ramakrishna, T. *See* Narayanan, Chandani, Ramakrishna, and Rao
Rand, R. P. *See* Reid and Rand
Ranjan, R. *See* Pérez-García, Chiamvimonvat, Ranjan, Balser, Tomaselli, and Marban
Rao, B. D. N. *See* Murali, Lin, Mechulam, Plateau, and Rao
Rao, C. M. *See* Narayanan, Chandani, Ramakrishna, and Rao
Rapp, G. *See* Misof, Rapp, and Fratzl
Rau, D. C. *See* Kuznetsova, Rau, Parsegian, and Leikin
Receveur, V. *See* Petrescu, Receveur, Calmettes, Durand, Desmadril, Roux, and Smith
Reddy, L. G. *See* Young, Rigaud, Lacapère, Reddy, and Stokes
Regnier, M. *See* Homsher, Lacktis, and Regnier
Reid, C. and Rand, R. P. Probing protein hydration and conformational states in solution, 1022
Reintanz, B. *See* Dreyer, Antunes, Hoshi, Müller-Röber, Palme, Pongs, Reintanz, and Hedrich
Resat, H., Marrone, T. J., and McCammon, J. A. Enzyme-inhibitor association thermodynamics: explicit and continuum solvent studies, 522

Richardson, M. C. *See* Rajyaguru, Kado, Richardson, and Muszynski
Rigaud, J.-L. *See* Young, Rigaud, Lacapère, Reddy, and Stokes
Rigler, R. *See* Schwille, Meyer-Almes, and Rigler
Rinzel, J. *See* Li, Stojilkovíc, Keizer, and Rinzel
Ristau, O. *See* Behlke and Ristau
Ritchie, K. *See* Evans and Ritchie
Rohr, S. and Kucera, J. P. Involvement of the calcium inward current in cardiac impulse propagation: induction of unidirectional conduction block by nifedipine and reversal by Bay K 8644, 754
Röhrig, H. *See* Gadella, Vereb, Hadri, Röhrig, Schmidt, John, Schell, and Bisseling
Romanin, C. *See* Baumgartner, Hohenthanner, Höfer, Groschner, and Romanin
Rosenbusch, J. *See* Watanabe, Rosenbusch, Schirmer, and Karplus
Rostovtseva, T. and Colombini, M. VDAC channels mediate and gate the flow of ATP: implications for the regulation of mitochondrial function, 1954
Rothberg, B. S., Bello, R. A., and Magleby, K. L. Two-dimensional components and hidden dependencies provide insight into ion channel gating mechanisms, 2524
Roux, B. *See* Petrescu, Receveur, Calmettes, Durand, Desmadril, Roux, and Smith
——— *See* Woolf and Roux
Roux, M. J. *See* Hurst, Roux, Toro, and Stefani
Ruiz-Argüello, M. B. *See* Basáñez, Ruiz-Argüello, Alonso, Goñi, Karlsson, and Edwards

S

Saber, H. *See* Demeler, Saber, and Hansen
Sackmann, E. *See* Grimm, Bärmann, Häckl, Typke, Sackmann, and Baumeister
Saggau, P. *See* Sinha, Wu, and Saggau
Sakmann, B. *See* Helmchen, Borst, and Sakmann
Saltzman, W. M. *See* Kuntz and Saltzman
Salwiński, L. *See* Piasecki, Salwiński, and Froncisz
Sanders, C. R., II *See* Vinogradova, Badola, Czerski, Sönnichsen, and Sanders
Sansom, M. S. P. *See* Biggin, Breed, Son, and Sansom
——— *See* Smart, Breed, Smith, and Sansom
Saparov, S. M. *See* Pohl, Saparov, and Antonenko
Sasabe, H. *See* Yonekura, Stokes, Sasabe, and Toyoshima
Sasaki, Y. C., Yasuda, K., Suzuki, Y., Ishibashi, T., Satoh, I., Fujiki, Y., and Ishiwata, S. Two-dimensional arrangement of a functional protein by cystein-gold interaction: enzyme activity and characterization of a protein monolayer on a gold substrate, 1842
Satoh, I. *See* Sasaki, Yasuda, Suzuki, Ishibashi, Satoh, Fujiki, and Ishiwata
Savikhin, S. *See* Buck, Savikhin, and Struve
Saxton, M. J. Single-particle tracking: the distribution of diffusion coefficients, 1744
Schaafsma, T. J. *See* Polm and Schaafsma
Schachat, F. H. *See* Brandt and Schachat
Schell, J. *See* Gadella, Vereb, Hadri, Röhrig, Schmidt, John, Schell, and Bisseling
Schenk, M. *See* von Nahmen, Schenk, Sieber, and Amrein
Scherer, N. F. *See* Ungar, Scherer, and Voth
Schirmer, T. *See* Watanabe, Rosenbusch, Schirmer, and Karplus
Schmidt, J. *See* Gadella, Vereb, Hadri, Röhrig, Schmidt, John, Schell, and Bisseling
Schoenberg, M. *See* Xie, Li, Barnett, and Schoenberg
Schrader, J. *See* Gruwel, Čulić, and Schrader
Schrader, M. *See* Lakowicz, Gryczynski, Malak, Schrader, Engelhardt, Kano, and Hell
Schram, V. and Thompson, T. E. Influence of the intrinsic membrane protein bacteriorhodopsin on the gel-phase domain topology in two-component phase-separated bilayers, 2217
Schulteis, C. T. *See* Tiwari-Woodruff, Schulteis, Mock, and Papazian
Schulten, K. *See* Bishop, Kosztin, and Schulten
——— *See* Humphrey, Bamberg, and Schulten
——— *See* Izrailev, Stepaniants, Balsera, Oono, and Schulten
Schweitzer-Stenner, R., Tamir, I., and Pecht, I. Analysis of FcεRI-mediated mast cell stimulation by surface-carried antigens, 2470
Schwille, P., Meyer-Almes, F.-J., and Rigler, R. Dual-color fluorescence cross-correlation spectroscopy for multicomponent diffusional analysis in solution, 1878
Seelig, A. *See* Wenk, Alt, Seelig, and Seelig
Seelig, J. *See* Wenk, Alt, Seelig, and Seelig
Segel, L. *See* Khanin, Parnas, and Segel
Sellers, J. R. *See* Cuda, Pate, Cooke, and Sellers
Selsted, M. E. *See* Ladokhin, Selsted, and White
——— *See* Ladokhin, Selsted, and White
Semenov, A. Y. *See* Vassiliev, Jung, Mamedov, Semenov, and Golbeck
Seow, C. Y. and Ford, L. E. Exchange of ATP for ADP on high-force cross-bridges of skinned rabbit muscle fibers, 2719
Serpersu, E. H. *See* Pappu, Kunnumal, and Serpersu
Serwer, P. *See* Sun and Serwer
Sessions, R. B. *See* Gibbs, Sessions, Williams, and Dempsey
Shai, Y. *See* Ben-Efraim and Shai
Shao, Z. *See* Zhang, Shao, Somlyo, and Somlyo
Sharp, K. A. *See* Brady and Sharp
Sheetz, M. P. *See* Shenderov and Sheetz
Shenderov, A. D. and Sheetz, M. P. Inversely correlated cycles in speed and turning in an ameba: an oscillatory model of cell locomotion, 2382
Shigematsu, J. *See* Suzuki, Shigematsu, Fukunishi, Harada, Yanagida, and Kodama
Shinkarev, V. P. and Wraight, C. A. The interaction of quinone and detergent with reaction centers of purple bacteria. 1. Slow quinone exchange between reaction center micelles and pure detergent micelles, 2304
Shlyonsky, V. G. *See* Fuller, Berdiev, Shlyonsky, Ismailov, and Benos
——— *See* Ismailov, Berdiev, Shlyonsky, and Benos
Shraiman, B. I. On the role of assembly kinetics in determining the structure of clathrin cages, 953
Sieber, M. *See* von Nahmen, Schenk, Sieber, and Amrein
Siggia, E. D. *See* Chou, Jarić, and Siggia
Sikorski, A. F. *See* DeWolf, McCauley, Sikorski, Winlove, Bailey, Kahana, Pinder, and Gratzer
Simon, S. I. *See* Neelamegham, Taylor, Hellums, Dembo, Smith, and Simon
Sinha, S. R., Wu, L.-G., and Saggau, P. Presynaptic calcium dynamics and transmitter release evoked by single action potentials at mammalian central synapses, 637
Sit, P. S., Spector, A. A., Lue, A. J.-C., Popel, A. S., and Brownell, W. E. Micropipette aspiration on the outer hair cell lateral wall, 2812
Skalak, R. *See* Hansen, Skalak, Chien, and Hoger
Smart, O. S., Breed, J., Smith, G. R., and Sansom, M. S. P. A novel method for structure-based prediction of ion channel conductance properties, 1109
Smirnov, A. I. *See* Hustedt, Smirnov, Laub, Cobb, and Beth
Smith, B. L. *See* Walters, Smith, Belcher, Paloczi, Stucky, Morse, and Hansma
Smith, C. W. *See* Neelamegham, Taylor, Hellums, Dembo, Smith, and Simon

Smith, G. R. *See* Smart, Breed, Smith, and Sansom
Smith, J. C. *See* Petrescu, Receveur, Calmettes, Durand, Desmadril, Roux, and Smith
So, P. T. C. *See* Masters, So, and Gratton
Solaini, G. *See* Gabellieri, Strambini, Baracca, and Solaini
Somlyo, A. P. *See* Zhang, Shao, Somlyo, and Somlyo
——— *See* Zhang, Shao, Somlyo, and Somlyo
Son, H. S. *See* Biggin, Breed, Son, and Sansom
Sönnichsen, F. D. *See* Vinogradova, Badola, Czerski, Sönnichsen, and Sanders
Sosinsky, G. *See* Perkins, Goodenough, and Sosinsky
Soumpasis, D. M. and Georgalis, Y. Potential of mean force treatment of salt-mediated protein crystallization, 2770
Spector, A. A. *See* Sit, Spector, Lue, Popel, and Brownell
Spiro, T. G. *See* Chan, Austin, Mukerji, and Spiro
Stanley, H. E. *See* Viswanathan, Buldyrev, Havlin, and Stanley
Stavrov, S. S. *See* Kushkuley and Stavrov
Stefani, E. *See* Hurst, Roux, Toro, and Stefani
Stepaniants, S. *See* Izrailev, Stepaniants, Balsera, Oono, and Schulten
Stojilkovíc, S. S. *See* Kukuljan, Vergara, and Stojilkovic
——— *See* Li, Stojilkovíc, Keizer, and Rinzel
Stokes, D. L. *See* Yonekura, Stokes, Sasabe, and Toyoshima
——— *See* Young, Rigaud, Lacapère, Reddy, and Stokes
Strambini, G. B. *See* Gabellieri, Strambini, Baracca, and Solaini
Strassburger, J. M., Gärtner, W., and Braslavsky, S. E. Volume and enthalpy changes after photoexcitation of bovine rhodopsin: laser-induced optoacoustic studies, 2294
Struijk, J. J. The extracellular potential of a myelinated nerve fiber in an unbounded medium and in nerve cuff models, 2457
Struve, W. S. *See* Buck, Savikhin, and Struve
Stucky, G. D. *See* Walters, Smith, Belcher, Paloczi, Stucky, Morse, and Hansma
Sugar, I. P. *See* Liu, Sugar, and Chong
Sun, M. and Serwer, P. The conformation of DNA packaged in bacteriophage G, 958
Sung, K.-L. P. *See* Artmann, Sung, Horn, Whittemore, Norwich, and Chien
Superfine, R. *See* Falvo, Washburn, Superfine, Finch, Brooks, Chi, and Taylor
Suzuki, H., Yamada, A., Oiwa, K., Nakayama, H., and Mashiko, S. Control of actin moving trajectory by patterned poly(methylmethacrylate) tracks, 1997
Suzuki, M., Shigematsu, J., Fukunishi, Y., Harada, Y., Yanagida, T., and Kodama, T. Coupling of protein surface hydrophobicity change to ATP hydrolysis by myosin motor domain, 18
Suzuki, Y. *See* Sasaki, Yasuda, Suzuki, Ishibashi, Satoh, Fujiki, and Ishiwata
Swaminathan, R., Hoang, C. P., and Verkman, A. S. Photobleaching recovery and anisotropy decay of green fluorescent protein GFP-S65T in solution and cells: cytoplasmic viscosity probed by green fluorescent protein translational and rotational diffusion, 1900
Szabo, G. *See* Kowdley, Ackerman, Chen, Szabo, Jones, and Moorman
Szleifer, I. Protein adsorption on surfaces with grafted polymers: a theoretical approach, 595

T

Tamir, I. *See* Schweitzer-Stenner, Tamir, and Pecht
Tampé, R. *See* Dietrich, Merkel, and Tampé
Tanaka, J. C. *See* Wells and Tanaka
Tanelian, D. L. and Markin, V. S. Biophysical and functional consequences of receptor-mediated nerve fiber transformation, 1092
Taneva, S. G. *See* Nag, Taneva, Perez-Gil, Cruz, and Keough
Tang, P., Yan, B., and Xu, Y. Different distribution of fluorinated anesthetics and nonanesthetics in model membrane: a ^{19}F NMR study, 1676
Tap, W. D. *See* Burlacu, Tap, Lumpkin, and Hudspeth
Taraschi, T. F. *See* Victorov, Janes, Taraschi, and Hoek
Taylor, A. D. *See* Neelamegham, Taylor, Hellums, Dembo, Smith, and Simon
Taylor, R. M., II *See* Falvo, Washburn, Superfine, Finch, Brooks, Chi, and Taylor
Terracciano, C. M. N. and MacLeod, K. T. Measurements of Ca^{2+} entry and sarcoplasmic reticulum Ca^{2+} content during the cardiac cycle in guinea pig and rat ventricular myocytes, 1319
Thomas, D. D. *See* Kleinschmidt, Mahaney, Thomas, and Marsh
Thomas, G. J., Jr. *See* Benevides, Tsuboi, Bamford, and Thomas
Thompson, T. E. *See* Piknová, Marsh, and Thompson
——— *See* Schram and Thompson
Tiwari-Woodruff, S. K., Schulteis, C. T., Mock, A. F., and Papazian, D. M. Electrostatic interactions between transmembrane segments mediate folding of Shaker K^+ channel subunits, 1489
Tomaselli, G. F. *See* Pérez-García, Chiamvimonvat, Ranjan, Balser, Tomaselli, and Marban
Tomschik, M. *See* Fojta, Vetterl, Tomschik, Jelen, Nielsen, Wang, and Paleček
Toro, L. *See* Hurst, Roux, Toro, and Stefani
Torre, V. *See* Bucossi, Nizzari, and Torre
Toyoshima, C. *See* Yonekura, Stokes, Sasabe, and Toyoshima
Treijtel, B. W. *See* van der Heide, Ketelaars, Treijtel, de Beer, and Blangé
Tsong, T. Y. *See* Xie, Chen, Marszalek, and Tsong
Tsuboi, M. *See* Benevides, Tsuboi, Bamford, and Thomas
Tsuda, M. *See* Nakagawa, Kikkawa, Iwasa, and Tsuda
Tung, C.-S. A computational approach to modeling nucleic acid hairpin structures, 876
Typke, D. *See* Grimm, Bärmann, Häckl, Typke, Sackmann, and Baumeister

U

Ueda, I. and Yamanaka, M. Titration calorimetry of anesthetic-protein interaction: negative enthalpy of binding and anesthetic potency, 1812
Ujj, L. *See* Weidlich, Ujj, Jäger, and Atkinson
Ungar, L. W., Scherer, N. F., and Voth, G. A. Classical molecular dynamics simulation of the photoinduced electron transfer dynamics of plastocyanin, 5
Uteshev, V. V. and Pennefather, P. S. Analytical description of the activation of multi-state receptors by continuous neurotransmitter signals at brain synapses, 1127

V

van Beek, J., Callender, R., and Gunner, M. R. The contribution of electrostatic and van der Waals interactions to the stereospecificity of the reaction catalyzed by lactate dehydrogenase, 619
van der Heide, U. A., Ketelaars, M., Treijtel, B. W., de Beer, E. L., and Blangé, T. Strain dependence of the elastic properties of force-producing cross-bridges in rigor skeletal muscle, 814
van der Spoel, D. and Berendsen, H. J. C. Molecular dynamics simulations of Leu-enkephalin in water and DMSO, 2032
van der Zwan, G. *See* Koolhaas, van der Zwan, van Mourik, and van Grondelle
van Grondelle, R. *See* Koolhaas, van der Zwan, van Mourik, and van Grondelle
Van Halbeek, H. *See* Lu and Van Halbeek
van Holde, K. *See* Ivanchenko, Zlatanova, and van Holde

van Mourik, F. *See* Koolhaas, van der Zwan, van Mourik, and van Grondelle
van Noort, P. I., Zhu, Y., LoBrutto, R., and Blankenship, R. E. Redox effects on the excited-state lifetime in chlorosomes and bacteriochlorophyll *c* oligomers, 316
VanDongen, A. M. J. *See* Chapman, VanDongen, and VanDongen
——— *See* Krovetz, VanDongen, and VanDongen
VanDongen, H. M. A. *See* Chapman, VanDongen, and VanDongen
——— *See* Krovetz, VanDongen, and VanDongen
Vassilev, M. *See* Vassilev, Mitchel, Vassilev, Kanazirska, and Brown
Vassilev, P. M., Mitchel, J., Vassilev, M., Kanazirska, M., and Brown, E. M. Assessment of frequency-dependent alterations in the level of extracellular Ca^{2+} in the synaptic cleft, 2103
Vassiliev, I. R., Jung, Y.-S., Mamedov, M. D., Semenov, A. Y., and Golbeck, J. H. Near-IR absorbance changes and electrogenic reactions in the microsecond-to-second time domain in photosystem I, 301
Vaz, W. L. C. *See* Coelho, Vaz, and Melo
Vélez, P., Györke, S., Escobar, A., Vergara, J., and Fill, M. Adaptation of single cardiac ryanodine receptor channels, 691
Vereb, G., Jr. *See* Gadella, Vereb, Hadri, Röhrig, Schmidt, John, Schell, and Bisseling
Vergara, J. *See* Vélez, Györke, Escobar, Vergara, and Fill
Vergara, L. *See* Kukuljan, Vergara, and Stojilkovic
Verkman, A. S. *See* Swaminathan, Hoang, and Verkman
Vetterl, V. *See* Fojta, Vetterl, Tomschik, Jelen, Nielsen, Wang, and Paleček
Viard, M. *See* Paternostre, Viard, Meyer, Ghanam, Ollivon, and Blumenthal
Vibert, P. *See* Hodgkinson, Marston, Craig, Vibert, and Lehman
Victorov, A. V., Janes, N., Taraschi, T. F., and Hoek, J. B. Packing constraints and electrostatic surface potentials determine transmembrane asymmetry of phosphatidylethanol, 2588
Vinogradova, O., Badola, P., Czerski, L., Sönnichsen, F. D., and Sanders, C. R., II *Escherichia coli* diacylglycerol kinase: a case study in the application of solution NMR methods to an integral membrane protein, 2688
Viswanathan, G. M., Buldyrev, S. V., Havlin, S., and Stanley, H. E. Quantification of DNA patchiness using long-range correlation measures, 866
Vologodskii, A. *See* Katritch and Vologodskii
von Nahmen, A., Schenk, M., Sieber, M., and Amrein, M. The structure of a model pulmonary surfactant as revealed by scanning force microscopy, 463
Vonasek, E. *See* Mateu, Morán, Padrón, Borgo, Vonasek, Márquez, and Luzzati
Voth, G. A. *See* Ungar, Scherer, and Voth
Vulevic, B. and Correia, J. J. Thermodynamic and structural analysis of microtubule assembly: the role of GTP hydrolysis, 1357

W

Wade, R. C. *See* Gabdoulline and Wade
Wahr, P. A., Cantor, H. C., and Metzger, J. M. Nucleotide-dependent contractile properties of Ca^{2+}-activated fast and slow skeletal muscle fibers, 822
Walne, P. L. *See* Barsanti, Passarelli, Walne, and Gualtieri
Walters, D. A., Smith, B. L., Belcher, A. M., Paloczi, G. T., Stucky, G. D., Morse, D. E., and Hansma, P. K. Modification of calcite crystal growth by abalone shell proteins: an atomic force microscope study, 1425
Wang, C.-K. *See* Dong, Wang, Gordon, and Cheung
Wang, G. K. *See* Wang and Wang
Wang, J. *See* Fojta, Vetterl, Tomschik, Jelen, Nielsen, Wang, and Paleček
Wang, M. D., Yin, H., Landick, R., Gelles, J., and Block, S. M. Stretching DNA with optical tweezers, 1335
Wang, S. S.-H. *See* Kupferman, Mitra, Hohenberg, and Wang
Wang, S.-Y. and Wang, G. K. A mutation in segment I-S6 alters slow inactivation of sodium channels, 1633
Wang, X.-B., Huang, Y., Wang, X., Becker, F. F., and Gascoyne, P. R. C. Dielectrophoretic manipulation of cells using spiral electrodes, 1887
Wang, X. *See* Wang, Huang, Wang, Becker, and Gascoyne
Waring, A. *See* Lipp, Lee, Waring, and Zasadzinski
Warshaw, D. M. *See* Guilford, Dupuis, Kennedy, Wu, Patlak, and Warshaw
Washburn, S. *See* Falvo, Washburn, Superfine, Finch, Brooks, Chi, and Taylor
Watanabe, M., Rosenbusch, J., Schirmer, T., and Karplus, M. Computer simulations of the OmpF porin from the outer membrane of *Escherichia coli*, 2094
Waugh, R. E. *See* Hwang and Waugh
Webb, W. W. *See* Mak and Webb
Weidlich, O., Ujj, L., Jäger, F., and Atkinson, G. H. Nanosecond retinal structure changes in K-590 during the room-temperature bacteriorhodopsin photocycle: picosecond time-resolved coherent anti-Stokes Raman spectroscopy, 2329
Wells, G. B. and Tanaka, J. C. Ion selectivity predictions from a two-site permeation model for the cyclic nucleotide-gated channel of retinal rod cells, 127
Wenk, M. R., Alt, T., Seelig, A., and Seelig, J. Octyl-β-D-glucopyranoside partitioning into lipid bilayers: thermodynamics of binding and structural changes of the bilayer, 1719
Wenschuh, H. *See* Kaduk, Duclohier, Dathe, Wenschuh, Beyermann, Molle, and Bienert
Werner, R. *See* Zhou, Pfahnl, Werner, Hudder, Llanes, Luebke, and Dahl
White, D. C. S. *See* Molloy and White
White, S. H. *See* Ladokhin, Selsted, and White
——— *See* Ladokhin, Selsted, and White
Whittemore, D. *See* Artmann, Sung, Horn, Whittemore, Norwich, and Chien
Williams, P. B. *See* Gibbs, Sessions, Williams, and Dempsey
Williams, S.-P., Haggie, P. M., and Brindle, K. M. ^{19}F NMR measurements of the rotational mobility of proteins in vivo, 490
Wilson, P. *See* Parassasi, Gratton, Yu, Wilson, and Levi
Winlove, C. P. *See* DeWolf, McCauley, Sikorski, Winlove, Bailey, Kahana, Pinder, and Gratzer
Winter, R. *See* Bernsdorff, Wolf, Winter, and Gratton
Wolf, A. *See* Bernsdorff, Wolf, Winter, and Gratton
Wong, L. *See* Hanlon, Wong, and Pack
Woodbury, D. J. *See* Alix and Woodbury
Woodward, J. T., IV and Zasadzinski, J. A. High-resolution scanning tunneling microscopy of fully hydrated ripple-phase bilayers, 964
Woolf, T. B. and Roux, B. The binding site of sodium in the gramicidin A channel: comparison of molecular dynamics with solid-state NMR data, 1930
Worthman, L.-A. D., Nag, K., Davis, P. J., and Keough, K. M. W. Cholesterol in condensed and fluid phosphatidylcholine monolayers studied by epifluorescence microscopy, 2569
Wraight, C. A. *See* Shinkarev and Wraight
Wu, J. *See* Guilford, Dupuis, Kennedy, Wu, Patlak, and Warshaw
Wu, L.-G. *See* Sinha, Wu, and Saggau

X

Xiang, T.-X. and Anderson, B. D. Permeability of acetic acid across gel and liquid-crystalline lipid bilayers conforms to free-surface-area theory, 223

Xiao, M. and Borejdo, J. Orientation of cross-bridges in skeletal muscle measured with a hydrophobic probe, 2268
Xie, L., Li, W. X., Barnett, V. A., and Schoenberg, M. Graphical evaluation of alkylation of myosin's SH1 and SH2: the *N*-phenylmaleimide reaction, 858
Xie, T. D., Chen, Y.-d., Marszalek, P., and Tsong, T. Y. Fluctuation-driven directional flow in biochemical cycle: further study of electric activation of Na,K pumps, 2496
Xu, W., Blackford, B. L., Cordes, J. G., Jericho, M. H., Pink, D. A., Levadny, V. G., and Beveridge, T. Atomic force microscope measurements of long-range forces near lipid-coated surfaces in electrolytes, 1404
Xu, X. and Colombini, M. Auto-directed insertion: pre-inserted VDAC channels greatly shorten the delay to the insertion of new channels, 2129
Xu, Y. *See* Tang, Yan, and Xu

Y

Yamada, A. *See* Suzuki, Yamada, Oiwa, Nakayama, and Mashiko
Yamanaka, M. *See* Ueda and Yamanaka
Yamoah, E. N. Potassium currents in pre-synaptic hair cells of *Hermissenda*, 193
Yan, B. *See* Tang, Yan, and Xu
Yanagida, T. *See* Suzuki, Shigematsu, Fukunishi, Harada, Yanagida, and Kodama
Yang, P.-K., Lee, C.-Y., and Hwang, M.-J. *Shaker* pore structure as predicted by annealed atomic simulation using symmetry and novel geometric restraints, 2479
Yasuda, K. *See* Sasaki, Yasuda, Suzuki, Ishibashi, Satoh, Fujiki, and Ishiwata
Yavnilovich, M. V. *See* Demidov, Yavnilovich, and Frank-Kamenetskii
Yin, H. *See* Wang, Yin, Landick, Gelles, and Block
Yonekura, K., Stokes, D. L., Sasabe, H., and Toyoshima, C. The ATP-binding site of Ca^{2+}-ATPase revealed by electron image analysis, 997
You, Y., Pelzer, D. J., and Pelzer, S. Modulation of L-type Ca^{2+} current by fast and slow Ca^{2+} buffering in guinea pig ventricular cardiomyocytes, 175
Young, H. S., Rigaud, J.-L., Lacapère, J.-J., Reddy, L. G., and Stokes, D. L. How to make tubular crystals by reconstitution of detergent-solubilized Ca^{2+}-ATPase, 2545
Ypma, T. *See* Czerlinski, Levin, and Ypma
Yu, L. C. *See* Frisbie, Chalovich, Brenner, and Yu
Yu, W. M. *See* Parassasi, Gratton, Yu, Wilson, and Levi
Yuto, J., Ide, T., and Kasai, M. ATP-sensitive anion channel from rat brain synaptosomal membranes incorporated into planar lipid bilayers, 720

Z

Zasadzinski, J. A. *See* Lipp, Lee, Waring, and Zasadzinski
——— *See* Woodward and Zasadzinski
Zhai, X. and Kleijn, J. M. Order in phospholipid Langmuir-Blodgett monolayers determined by total internal reflection fluorescence, 2651
Zhang, H. and Bryant, R. G. Bound ligand motion in crystalline carboxypeptidase A, 363
Zhang, Y., Shao, Z., Somlyo, A. P., and Somlyo, A. V. Cryo-atomic force microscopy of smooth muscle myosin, 1308
Zhang, Y.-P., Lewis, R. N. A. H., and McElhaney, R. N. Calorimetric and spectroscopic studies of the thermotropic phase behavior of the *n*-saturated 1,2-diacylphosphatidylglycerols, 779
Zhao, M., Hollingworth, S., and Baylor, S. M. AM-loading of fluorescent Ca^{2+} indicators into intact single fibers of frog muscle, 2736
Zhou, X.-W., Pfahnl, A., Werner, R., Hudder, A., Llanes, A., Luebke, A., and Dahl, G. Identification of a pore lining segment in gap junction hemichannels, 1946
Zhu, Y. *See* van Noort, Zhu, LoBrutto, and Blankenship
Zlatanova, J. *See* Ivanchenko, Zlatanova, and van Holde
Zygourakis, K. *See* Neelamegham, Munn, and Zygourakis

SUBJECT INDEX

A

Abalone shell proteins, calcite crystal growth by, AFM, 1425
Absorption difference spectra, ultrafast, Fenna-Matthews-Olson protein, 24
Acetic acid, permeability across lipid bilayers, application of free-surface-area theory to, 223
Acetylcholine, interaction with receptor, synaptic transmission at visualized sympathic boutons, 1595
Acetylcholine receptor pore, nicotinic, effects of homologous subunit mutations on *n*-alcohol block of, 2170
Actin
ice-embedded, energy filtered electron tomography of, 482
inhibition of caldesmon fragments binding, skeletal muscle fibers, 1287
moving trajectory, control by patterned PMMA tracks, 1997
Actin filaments, sliding velocities produced by mixture of myosins, 1767
***N*-Acylphosphatidylethanolamines**, effect of *N*-acyl chain length on orientation, 2559
Adenosine conformations, of nucleotides bound to methionyl tRNA synthetase, transferred nuclear Overhauser effect spectroscopy, 2275
Adenosine triphosphatase
F_1 mitochondrial, mapping of ϵ-subunit of, 1818
myosin activity in hair bundles of bullfrog sacculus, 263
Adenosine triphosphate
binding site of calcium-ATPase, electron image analysis of, 997
contractile properties dependent on, calcium ion-activated fast and slow skeletal muscle fibers, 822
flow regulation by mitochondrial VDAC, 1954
hydrolysis by myosin motor domain and protein surface hydrophobicity, 20
pyrene-labeled, myosin ATPase reaction monitored using, 843
Adenosine triphosphate/adenosine diphosphate exchange, on high-force cross-bridges, skinned muscle fibers, 2719
Adhesion, rolling, quantification with E-selectin and its carbohydrate ligands, 2820
Adhesion bonds, molecular, dynamic strength of, 1541
AFM. see Atomic force microscopy
Agarose, low concentrations in mesoscopic gels, effects of ethanol, 388
Aggregation, cellular, homotypic, kinetics under static conditions, 51
Alamethicin
helix bending in, molecular dynamics simulations, 2490
models of channel gating with, 627
proline position and ion channel activity of, 2151
simulation studies of bilayer interactions of, 627
***n*-Alcohol block**, of nicotinic acetylcholine receptor pore, effects of homologous subunit mutations on, 2170
Alkaloids, *Vinca*, ionic strength effects on tubulin interactions with, 416
Alkylation, of myosin SH1 and SH2, by the *N*-phenylmaleimide reaction, 858
]A^{35}[NG(28–43), conformation in aqueous and SDS micell solutions, 554
Amiloride sensitivity, αbENaC point mutations regulate channel gating, ion selectivity and, 1622
Ammonia, permeation across bilayer lipid membranes, 2187
Amphiphilic molecules
fluorescence-labeled, diffusion measurement of, 1701
monoacyl, transfer between lipid and protein surfaces, 1732
Anesthetics
fluorinated non-anesthetics and, distribution in model membrane, ^{19}F NMR, 1676
local, effect on myelin structure and nerve conduction, toad sciatic nerve, 2581
Meyer-Overton hypothesis of potency and membrane localization, halogenated cyclobutanes, 1754
negative enthalpy of binding and anesthetic potency, 1812
Anion channels, see also specific anions
ATP-sensitive, from synaptosomal membranes in planar lipid bilayers, 720
Anisotropy, decay in solution and cells, green fluorescent protein-S65T, 1900
Annealed atomic simulation, pore structure predicted by, Shaker-potassium channels, 2479
Annexin I, binding to phosphatidyl serine membranes, 383
Aspartate aminotransferase, short-lived intermediates in, 1135
Atomic distance, estimates in potassium channel pore, 117
Atomic force microscopy
calcite crystal growth by abalone shell proteins, 1425
cholinergic synaptic vesicle elastic properties measured by, 806
closer look at myosin, 988
cryo, smooth muscle myosin, 1308
imaging contrast and molecular recognition, 445
imaging of macromolecular crystals by, 2357
manipulation of viruses using, 1396
measurements of long-range forces, lipid-coated surfaces in electrolytes, 1404
ATP. see Adenosine triphosphate
ATPase. see Adenosine triphosphatase
Avidin-biotin complex, molecular dynamics study of unbinding, 1569

B

Bacteriochlorophyll, dimers, circular dichroism spectra of, 1828
Bacteriochlorophyll *c* oligomeres, excited state lifetime of, 316
Bacteriophage G, DNA conformation packaged in, 958
Bacteriophage ϕ6, polarized Raman spectroscopy of dsRNA, 2748
Bacteriorhodopsin
effect on two-component bilayer domain topology, 2217
mutants, photoproducts of, 1347
percolation in two-phase lipid bilayer containing, fluorescence quenching and ESR, 2660
proton release and uptake, effect of lysine-129 mutation on, 886
room-temperature photocycle, retinal structure changes in K-590, using PTR/CARS, 2329
Barium, external, and gating charge movement of *Shaker* potassium channels, 77
Barnase, diffusional association of barstar and, 1917
Barstar, diffusional association of barnase and, 1917
Basement membrane, convection and pressure effects in, glomeruli, 214
Bay K 8644, reversal of unidirectional conduction block of impulse propagation by, heart, 754
αbENaC, point mutations regulate gating, ion selectivity and amiloride sensitivity, 1622
Bending elasticity, influence of temperature and sterol content on model membranes, 2616
γ-Bidentate Rh(III)ATP, metal-binding site determined using, yeast phosphoglycerate kinase, 928
Bilayers, lipid
determination of component volumes of, 2237
electrostatics of bending, 2042
ester- and ether-linked phospholipids, packing characteristics of, 1695
fluid, of dipalmitoylphosphatidylcholine, molecular dynamic

simulations, 2002
insertion of calcitonin promoted by phosphatidylglycerol, 2180
interactions of indolicidin, 794
membranes, ammonia permeation across, 2187
phospholipid-cholesterol, effects of hydrostatic pressure, 1264
simulation studies of alamethicin interactions, 627
three component liquid crystalline, superlattices of ergosterol and cholesterol, 2243
two-component, effect of bacteriorhodopsin on domain topology, 2217
Binding
affinities, statistical-thermodynamic basis for computation, 1047
collective properties, of receptor arrays, 1582
negative enthalpy and anesthetic potency, 1812
Brain
embryonic rat, calcium activated maxi-potassium channel ion conductance, 188
rat, ATP-sensitive anion channel from synaptosomal membranes in planar lipid bilayers, 720
synapses, multi-state receptors activated by neurotransmitter signals, 1127
Breast cancer cells, human, dielectrophoretic manipulation with spiral electrodes, 1887
Bullfrog, sacculus, myosin ATPase activity in hair bundles of, 263

C

Calcite crystals, growth by abalone shell proteins, AFM, 1425
Calcitonin, bilayer insertion of, promoted by phosphatidylglycerol, 2180
Calcium
buffered diffusion near membrane, implications for secretion, neuroendocrine cells, 674
dynamics and single action potential in calyx of Held, 1458
entry and SR content during cardiac cycle, ventricular myocytes, 1319
extracellular, frequency-dependent alterations in synaptic cleft levels of, 2103
fast and slow skeletal muscle fibers activated by nucleotide-dependent contractile properties, 822
fluorescent indicators, AM-loading into single fibers of frog muscle, 2736
intracellular, calculation of wave characteristics, 2430
kinetics of IP-3 induced oscillations, pituitary gonadotrophs, 698
modulation of cross-bridge affinity for MgGTP by, in skinned muscle fibers, 2255
presynaptic dynamics and transmitter release evoked by single action potentials, mammalian central synapses, 637
regulation of thin filament motility by, skeletal muscle, 1295
role in dynamics of monomeric conformers of *E. coli* ReLPS, 1031
sensing and refilling stores, gonadotrophs, 1081
Calcium channels
L-type, role of S4 segments and leucine heptad motif in activation, 2515
P-type, alteration of gating by ω-Aga-IVA, 2117
squid neurons, depolarization-induced slowing of deactivation, 1607
Calcium current
inward, role in cardiac impulse propagation, 754
L-type, modulation of, ventricular cardiomyocytes, 175
Calcium-ATPase
detergent-solublized, production of tubular crystals by reconstitution, 2545
electron image analysis of ATP binding site, 997
time-resolved charged translocation from SR, 2503
Caldesmon
characteristics in solution, studied by photon correlation spectroscopy, 835
effects on smooth muscle thin filaments, 3D image reconstruction of, 2398
fragments, inhibition of actin binding, skeletal muscle fibers, 1287
Calyx of Held, calcium dynamics and single action potential in, 1458
Capillaries, intact and cell free, diffusion of macromolecules across, glomeruli, 204
Carboxypeptidase A, crystalline, bound ligand motion in, 363
Cardiac channels, single, ryanodine receptor adaptation of, 691
Cardiomyocytes, ventricular, modulation of L-type calcium current, 175
Cells
dielectrophoretic manipulation with spiral electrodes, 1887
kinetics of homotypic aggregation under static conditions, 51
oscillatory model of locomotion, 2382
Channel gating
αbENaC point mutations regulate ion selectivity, amiloride sensitivity and, 1622
modeling with alamethicin, 627
Channels
effect of VDAC preinsertion on insertion of new channels, 2129
estimating number in patch-clamp recordings, 1143
kinetics of glutamate receptor channel desensitization and resensitization, 2160
open, permeation through, application of Poisson-Nernst-Planck theory to, 97
Chaotropes, interaction of kosmotropes with, in solution, 65
Charge density, dependent, strength of hydration and biological structure, 65
Charged molecules, redistribution induced in spherical vesicles by direct current electrical field, 613
Chlorosomes, excited state lifetime in, 316
Cholesterol
phosphatidylcholine monolayers studied by epifluorescence microscopy, 2569
superlattices of ergosterol and, three component liquid crystalline lipid bilayers, 2243
Cilia
beat parameters of, 449
olfactory, channel parameters in, 1193
Circular dichroism spectra, bacteriochlorophyll dimers, 1828
Clathrin, cage structure and role of assembly kinetics, 953
CNG channels. see Cyclic nucleotide gated-channels
Cochlea, outer, studies on hair cell lateral wall properties by micropipette aspiration, 2812
Collagen
model for elasticity, using synchrotron X-ray scattering, 1376
solvation of triple helices in nonaqueous solvents, 353
Collagen fibrils, refractive indices of, corneal stroma, 1382
Component volumes, determination of, lipid bilayers, 2237
Conductance, structure based prediction of properties, ion channels, 1109
Conduction
diffusion and noise, transmembrane ion channels, 1153
toad sciatic nerve, effect of local anesthetics on myelin structure and, 2581
unidirectional block, of impulse propagation, effects of nifedipine and Bay K 8644, heart, 754
Connexon, three dimensional structure of, 533
Consensus response element, estrogen receptor binding to, DNA binding domain dimer, 2056
Continuous wave electron paramagnetic resonance
dipolar nitroxide-nitroxide interactions, analysis by, 1861
multifrequency, molecular distances from dipolar coupled spin-

labels, 1861
Convection, pressure effects and, in basement membrane, glomeruli, 214
Corneal stroma, refractive indices of collagen fibrils and extrafibrillar material, 1382
Cross-bridge kinetics
role of cooperative activation and, muscle force redevelopment, 254
turnover, effect of EMD 57033 on force enhancement and, 272
Cross-bridges
high-force, ATP/ADP exchange on, skinned muscle fibers, 2719
muscle, orientation measured using *cis*-parinaric acid, 2268
Cryo-transmission electron microscopy, changes in unilamellar vesicles induced by phospholipase C and sphingomyelinase, 2630
Crystal packing, energetics of, cyclic dipeptides, 913
CTP. see Cytidine triphosphate
CW-EPR. see Continous wave electron paramagnetic resonance
Cyclic dipeptides, energetics of crystal packing and solvation, 913
Cyclic nucleotide-gated channels, 986
single-channel properties of, 1165
two-site permeation model for, retinal rod cells, 127
Cyclobutanes, halogenated, membrane localization and Meyer-Overton hypothesis of anesthetic potency, 1754
Cysteine-gold interaction, two-dimensional arrangement of myosin S1 by, 1842
Cytidine triphosphate, contractile properties dependent on, calcium ion-activated fast and slow skeletal muscle fibers, 822
Cytokinesis, oscillatory model of locomotion, 2382
Cytoplasm, viscosity probed by green fluorescent protein-S65T, 1900

D

Debye-Waller factor, coherent, measurement by inelastic neutron scattering, deuterated C-phycocyanin, 1792
Dehydroergosterol, structural organization in water and membranes, 2226
Dendrites, transformation, substance P internalization and, 1092
Density functional calculations, on model tyrosyl radicals, 1556
Deoxyribonucleic acid
adsorption of peptide nucleic acid and DNA decamers on charged surfaces, 2285
circular, intrinsic curvature and conformational properties of, 1071
conformation packaged in bacteriophage G, 958
dA·dT, temperature-dependent UV resonance Raman spectroscopy of premelting states, 1512
double stranded, specificity of targeting by homopyrimidine peptide nucleic acids, 2763
dynamics monitored by five-atom-tethered spin labels, 282
effect of periodic box size on molecular dynamic simulation of, PME method, 2395
labeled with DAPI and Hoechst 33342, fluorescent spectroscopy and imaging of, 567
nucleosomal, effect of hormone receptor binding on, 2056
proton equilibria in minor groove of, 291
quantification of patchiness, 866
stretching with optical tweezers, 1335
structural modeling of hairpin structures, 876
superhelical, histone H1 binding, 1388
triplex, poly(dA)·2poly(dT):S-type structure, vibrational modes and dynamic stability, 1327
Depth profiling, by photoacoustic spectroscopy, ligand localization, mammalian cells, 2365
Detergents, interaction of quinone and, with reaction centers of purple bacteria, 2304
Diacylglycerol kinase, *E. coli,* application of solution NMR methods to, 2688
Diacylglycerols, nonlamellar, packing parameters for (letter to the editor), 2834
1,2-Diacylphosphatidylglycerols, *n*-saturated, thermotropic phase behavior of, 779
4′,6-Diamidino-2-phenylindole,hydrochloride, fluorescent spectroscopy and imaging of DNA labeled with, 567
Dichroic ratios, in polarized FTIR for noaxial symmetry, β-sheet peptide structures, 2710
Dictyostelium discoideum, oscillatory model of cell locomotion, 2382
Dielectrophoretic manipulation, of cells, with spiral electrodes, 1887
Diffusion
association of barstar and barnase, 1917
conductivity noise and, transmembrane ion channels, 1153
dual-color fluorescence cross-correlation spectroscopy for analysis, 1878
of macromolecules across intact and cell free capillaries, glomeruli, 204
measurement, fluorescence-labeled amphiphilic molecules, 1701
protein-protein encounters, 1915
Diffusion coefficients, distribution in single-particle tracking, 1744
Dihydrofolate reductase, *E. coli,* conformational changes by Raman difference spectroscopy, 936
Dipalmitoylphosphatidylcholine, molecular dynamic simulations of fluid bilayer of, 2002
Dipolar coupled spin-labels, molecular distances from, multifrequency continuous wave electron paramagnetic resonance, 1861
Direct current electrical field, charged molecule redistribution induced in spherical vesicles by, 613
DNA. see Deoxyribonucleic acid
Dodecylmaltocide, solublizing effects of, on phosphatidylcholine liposomes, 1668
drk1 K channels, activation-dependent subconductance levels, ion permeation and gating, 708
Drosophila, larval muscle, kinetics of glutamate receptor channel desensitization and resensitization, 2160
Dual-frequency excitation, estimation of membrane capacitance using, 1641
Dystrophin, fragments of, interactions with model membranes, 2599

E

Echinocytes, induction by micropipette aspiration, human erythrocytes, 1434
Elasticity
collagen model for, using synchrotron X-ray scattering, 1376
measured by AFM, cholinergic synaptic vesicles, 806
network topology and, red blood cell membrane skeleton, 2369
strain-dependent, of force-producing cross-bridges in rigor, skeletal muscle, 814
Electrolytes, lipid-coated surfaces in, AFM measurements of long-range forces, 1404
Electron image analysis, reveals ATP binding site of calcium-ATPase, 997
Electron paramagnetic resonance
multifrequency continuous wave, molecular distances from dipolar coupled spin-labels, 1861
spin-labeled DNA dynamics monitored by, 282
Electron spin resonance
melittin interaction with phospholipid bilayers studied by, 767
percolation in two-phase lipid bilayer containing bacteriorhodopsin, fluorescence quenching and, 2660

Electron tomography, energy filtered, of ice-embedded actin, 482
Electron transfer, photoinduced, simulated dynamics of, plastocyanin, 5
Electrorotational light scattering, surement of particle properties by, 1414
Electrostatic interactions
contribution to reaction catalyzed by lactate dehydrogenase, 619
lipid bilayer bending, 2042
transmembrane segment, Shaker potassium channels, subunit folding and, 1489
Electrostatic surface potentials, effect on transmembrane asymmetry of phosphatidylethanol, 2588
EMD 57033, effect on force enhancement and cross-bridge turnover kinetics, 272
Endocytosis, spectral changes of a fluorescent sphingomyelin analog during, 37
Energy of dissociation, of lipid bilayer from membrane skeleton of red blood cells, 2669
Enthalpy, negative, binding, and anesthetic potency, 1812
Entrainment, in modeled bursting neuron, 579
Enzyme-inhibitor, association thermodynamics, explicit and continuum solvent studies on, 522
Ergosterol, superlattices of cholesterol and, three component liquid crystalline lipid bilayers, 2243
ERLS. SEE Electrorotational light scattering
Erythrocytes
cytoplasmic pH and shape, 1234
energy of dissociation of lipid bilayer from membrane skeleton of, 2669
induction of echinocytes, 1434
membrane phospholipid translocation, 1434
membrane skeleton, network topology and elasticity of, 2369
shape and membrane potential, 1220
Escherichia coli
cell shape, X-ray micrography and imaging, laser plasma pulsed point X-ray sources, 1521
diydrofolate reductase, conformational changes by Raman difference spectroscopy, 936
dynamics of hydrated monomeric conformers of ReLPS from, 1031
outer membrane, computer simulations of OmpF porin, 2094
Esophagus, frog, cilium beat parameters of, 449
Estrogen receptor, DNA binding domain dimer, binding to consensus response element, 2056
Ethanol, effects on, mesoscopic gels with low agarose concentrations, 388
Euglena gracilis, photoreceptor, *in vivo* photocycle of, 545
Extracellular matrix gels, motility of neutrophils in, 1472

F

Fatty acids, nonesterified, transfer of lysolecithins and, lipid and protein surfaces, 1732
Fay, Fredric S., in memoriam, 1913
FcεRI, analysis of surface antigen stimulation mediated by, mast cells, 2470
Fenna-Matthews-Olson protein, ultrafast absorption difference spectra of, 24
FKBP12, ryanodine receptors depleted in, subconductance states, 146
Fluctuation analysis, of quantal neurotransmitter release, binomial model in, 728
Fluid bilayer, of dipalmitoylphosphatidylcholine, molecular dynamic simulations, 2002
Fluorescence, molecular analysis of, Trp-43, 1800
Fluorescence correlation spectroscopy, detection of molecular assocations, 1487
Fluorescence quenching, percolation in two-phase lipid bilayer containing bacteriorhodopsin, ESR and, 2660
Folding, see also Unfolding
protein, dissection of free energy changes in, 3
subunits, Shaker potassium channels, 1489
Free-surface-area theory, application to permeability of acetic acid across lipid bilayers, 223

G

Gap junction, three dimensional structure of the connexon of, 533
Gap junction channels, distinct CO_2-sensitive and voltage-sensitive gating mechanisms, 2137
Gap junction hemichannels, identification of pore lining segment in, 1946
Gating
activation-dependent subconductance levels, ion permeation and, drk1 K channels, 708
CO_2-sensitive and voltage-sensitive mechanisms, Gap junction channels, 2137
ion channels, two-dimensional components and hidden dependencies, 2524
Gating charge movement, external barium and, *Shaker* potassium channels, 77
Gel-state bilayers, ethanol-induced chain interdigitations in, mixed-chain phosphatidylcholines, 2702
Generalized polarized domains, laurdan labelled membranes, two-photon fluorescence microscopy of, 2413
Glomeruli
convection and pressure effects in basement membrane, 214
diffusion of macromolecules across intact and cell free capillaries, 204
Glutamate receptor channels, kinetics of desensitization and resensitization, *Drosophila* larval muscle, 2160
Gonadotrophs, sensing and refilling calcium stores, 1081
Gp21, human transferrin, molecular motions analyzed by ^{13}CNMR, 470
GP domains. see Generalized polarization domains
Grafted polymers, protein adsorption on surfaces with, using single-chain mean-field theory, 595
Gramicidin A channel, sodium binding site in, 1930
Green fluorescent protein-S65T, photobleaching recovery and anisotropy decay in solution and cells, 1900
GTP. see Guanosine triphosphate
Guanosine triphosphate, hydrolysis, role in microtubule assembly, 1357

H

Hair bundles, of bullfrog sacculus, myosin ATPase activity in, 263
Hair cells
cochlear outer, studies on lateral wall properties, 2812
presynaptic, potassium currents in, *Hermissenda,* 193
Hairpin structures, structural modeling of, RNA and DNA, 876
Heart
calcium entry and SR calcium content during cardiac cycle, ventricular myocytes, 1319
fluorescent properties of IAANS attached to troponin C mutants, in cTn, 850
impulse propagation, role of calcium inward current in, 754
Helical peptides, molecular dynamic simulations on role of water on unfolding kinetics, 2445
Heme proteins, metal-ligand unit, electrostatic, steric interactions and spectroscopic characteristics, 899
Hemoglobins
metal-substituted, fluorescence detected magnetic resonance spectra of, 373
sickle, homogeneous nucleation in, 343

Hermissenda, potassium currents in presynaptic hair cells, 193
Histones
H1 binding to superhelical DNA, 1388
linker, role revisited, 983
Hoechst 33342, fluorescent spectroscopy and imaging of DNA labeled with, 567
Homopyrimidine, peptide nucleic acids, specificity of dsDNA targeting by, 2763
Hormone receptors, binding of, effect on nucleosomal DNA, 2056
Hydration
biological structure and, dependence on charge density, 65
myosin S1, studied by dielectric spectroscopy, 20
Hydrodynamic bead models, use of X-ray crystallography and NMR data, 408
Hydrodynamic shear, modeling of neutrophil aggregation kinetics under, 1527
Hydrogen ATPase complex, mitochondrial, mapping of ϵ-subunit of, 1818
Hydrogen-bond network, in self assembly of proteins, 353
Hydrophobicity, protein surface, ATP hydrolysis by myosin motor domain and, 20
Hydrostatic pressure, effects on phospholipid-cholesterol bilayers, 1264

I

IAANS. see 2-]4′-(iodoacetylamido)anilino[-naphthalene-6-sulfonic acid
Imaging contrast, molecular recognition and, AFM, 445
Impulse propagation, cardiac
role of calcium inward current in, 754
unidirectional conduction block, effects of nifedipine and reversed by Bay K 8644, 754
Indolicidin, bilayer interactions of, 794
Inositol 1,4,5-trisphosphate, kinetics of calcium ion oscillations induced by, pituitary gonadotrophs, 698
Intracellular signaling processes, physical modulation by locational regulation, 2014
Inward current, calcium, role in cardiac impulse propagation, 754
2-[4′-(Iodoacetylamido)anilino]-naphthalene-6-sulfonic acid, fluorescent properties of, attached to troponin C mutants, 850
Ion channels
activity of alamethicin and proline position, 2151
CNG, single-channel properties of, 1165
conductance properties, structure based prediction of, 1109
gating mechanisms, two-dimensional components and hidden dependencies, 2524
noise analysis in non-space-clamped cables, 1193
synthetic, application of Poisson-Nernst-Planck theory to permeation through an open channel, 97
transmembrane, diffusion and conductivity noise, 1153
Ion conductance, calcium activated maxi-potassium channel, embryonic rat brain, 188
Ion currents, membrane, stochastic versions of Hodgkin-Huxley equations, 2068
Ion interchange, associated with charged excitatory neurotransmitters, 507
Ion permeation, activation-dependent subconductance levels, gating and, drk1 K channels, 708
Ion selectivity
αbENaC point mutations regulate channel gating, amiloride sensitivity and, 1622
phospholemman channel molecules, 141
predictions from two-site permeation model, retinal rod cells, 127
IP-3. see Inositol 1,4,5-trisphosphate
I-S6 segment, sodium channel, mutation alters slow inactivation of, 1633

K

K-590, retinal structure changes in, bacteriorhodopsin photocycle, using PTR/CARS, 2329
Kosmotropes, interaction with chaotropes in solution, 65

L

Lactate dehydrogenase, role of electrostatic and van der Waals interactions on stereospecificity of reaction, 619
Lactose permease, *E. coli*, phospholipid microdomains in liposomes reconstituted with, 1247
Langmuir-Blodgett technique, phospholipid monolayer transfer, order determined by total internal reflection fluorescence, 2651
Laser plasma pulsed point X-ray sources, X-ray micrography and imaging of *Escherichia coli* cell shape using, 1521
Laser trap, unitary forces and displacements in, smooth and skeletal muscle myosins, 1006
Laurdan, GP membrane domains, two-photon fluorescence microscopy of, 2413
Leu-Enkephalin, molecular dynamics simulation in water and DMSO, 2032
Lipid bilayers
application of free-surface-area theory to acetic acid permeability across, 223
2-component, Monte Carlo approach to phase topology and percolation, 1501
determination of component volumes of, 2237
electrostatics of bending, 2042
energy of dissociation, from membrane skeleton of red blood cells, 2669
octyl-β-D-glucopyranoside partitioning into, 1719
planar, ATP-sensitive anion channels from synaptosomal membranes in, 720
properties on spherical solid support, 1659
three component liquid crystalline, superlattices of ergosterol and cholesterol, 2243
Lipid membranes
ammonia permeation across bilayers studied by microelectrodes, 2187
bilayer, dynamically stabilized pores in, 2211
Lipid monolayers, properties on spherical solid support, 1659
Lipid vesicles, membrane pore sizing using co-encapsulated markers, 1762
Liposomes
phosphatidylcholine, solublizing effects of dodecylmaltocide, 1668
phospholipid microdomains in, reconstitution of, 1247
Lung, structure of model pulmonary surfactant analyzed by SFM, 463
Lysolecithins, transfer of nonesterified fatty acids and, lipid and protein surfaces, 1732

M

Macromolecular crystals, imaging by AFM, 2357
Magnesium guanosine triphosphate, cross-bridge affinity modulated by calcium in skinned muscle fibers, 2255
Magnetic resonance spectra, fluorescence detected, of metal-substituted hemoglobins, 373
Mammalian cells, depth profiling by photoacoustic spectroscopy, ligand localization, 2365
Mast cells, analysis of FcϵRI-mediated stimulation by surface

antigens, 2470
Matrix methods, use of, in modeling of spectra, 652
Maxi-potassium channel, calcium activated, ion conductance of, embryonic rat brain, 188
Mechanosensitivity, in planar lipid bilayers, epithelial sodium channels, 1182
Melittin
interaction with phospholipid bilayers studied by ESR, 767
membrane pore formation by, sizing using co-encapsulated markers, 1762
Membrane capacitance, estimation using dual-frequency excitation, 1641
Membrane pores, sizing using co-encapsulated markers, lipid vesicles, 1762
Membrane skeleton, red blood cells
energy of dissociation of lipid bilayer from, 2669
network topology and elasticity of, 2369
Membranes
buffered calcium ion diffusion near, neuroendocrine cell secretion, 674
model
influence of temperature and sterol content on bending elasticities, 2616
interactions of dystrophin fragments with, 2599
two-photon fluorescence microscopy of laurdan GP domains, 2413
Mesoscopic gels, low agarose concentrations, effects of ethanol, 388
Methionyl tRNA synthetase, adenosine conformations of nucleotides bound to, transferred nuclear Overhauser effect spectroscopy, 2275
Meyer-Overton hypothesis, of anesthetic potency, halogenated cyclobutanes, 1754
Microscopy
epifluorescence, cholesterol phosphatidylcholine monolayers studied by, 2569
multiphoton excitation fluorescence, human skin, *in vivo,* 2405
two-photon fluorescence, of laurdan GP membrane domains, 2413
Microtubules, role of GTP hydrolysis in assembly of, 1357
Mitochondria, ATP flow regulation by porin, 1954
Molecular adhesion bonds, dynamic strength of, 1541
Molecular dynamic simulations
DNA, effect of periodic box size on, particle-mesh Ewald method, 2395
helix bending in alamethicin, 2490
on role of water on unfolding kinetics, helical peptides, 2445
Molecular mass, determination using sedimentation velocity, 428
Molecular recognition, imaging contrast and, AFM, 445
Monte Carlo simulation study, phase topology and percolation, 2-component lipid bilayers, 1501
Motility, of neutrophils in extracellular matrix gels, 1472
Muscle
cross-bridges orientation measured using *cis*-parinaric acid, 2268
smooth and skeletal
single-molecule mechanical experiments, 984
unitary forces and displacements in laser trap, myosins, 1006
Muscle fibers
single, AM-loading of fluorescent calcium indicators into, frog, 2736
skeletal, fast and slow calcium ion-activated, nucleotide-dependent contractile properties, 822
skinned
ATP/ADP exchange on high-force cross-bridges, 2719
modulation of cross-bridge affinity for MgGTP by calcium, 2255
Muscle force redevelopment, role of cooperative activation and cross-bridge kinetics, 254
Myelin, effect of local anesthetics on structure of, toad sciatic nerve, 2581
Myocytes, ventricular
calcium entry and SR calcium content during cardiac cycle, 1319
modulation of L-type calcium current, 175
Myofibrils, theoretical considerations on stiffness of, 1278
Myosin motor domain, protein surface hydrophobicity and ATP hydrolysis by, 20
Myosin S1
hydration studied by dielectric spectroscopy, 20
two-dimensional arrangement by cysteine-gold interaction, 1842
Myosins
actin filiment sliding velocities produced by mixtures of, 1767
ATPase activity of, in hair bundles of bullfrog sacculus, 263
ATPase reaction monitored using pyrene-labeled ATP, 843
closer look at, AFM, 988
SH1 and SH2 in, differential alkylation by the *N*-phenylmaleimide reaction, 858
smooth and skeletal muscle, unitary forces and displacements in laser trap, 1006
smooth muscle, cryo-AFM of, 1308
Myotonia, slow inactivation in mutant sodium channels in, 1204

N

Nerve fibers
myelinated, extracellular potential in unbounded medium and nerve cuff models, 2457
receptor-mediated transformation of, 1092
Neuroendocrine cells, buffered calcium ion diffusion near membrane, implications for secretion, 674
Neurons
membrane ion currents, stochastic versions of Hodgkin-Huxley equations, 2068
modeled bursting, phase sensitivity and entrainment in, 579
squid, slowing of calcium channel deactivation, 1607
Neuropeptide Y-[18–36] analogs, conformation in hydrophobic environments, 238
Neurotransmitters
binomial model in fluctuation analysis of quantal release of, 728
charged excitatory, mechanism for discharge of, 507
signals, multi-state receptors activated at synapses by, brain, 1127
Neutron scattering
inelastic, measurement of coherent Debye-Waller factor by, deuterated C-phycocyanin, 1792
small-angle, analyzed by random polymer theory in strongly denatured proteins, 335
Neutrophils
aggregation, modeling of kinetics under hydrodynamic shear, 1527
motility in extracellular matrix gels, 1472
NG(28–43)
conformation in aqueous and SDS micell solutions, 554
conformation of]A^{35}[NG(28–43) and, in aqueous and SDS micell solutions, 554
Nicotinamide adenine dinucleotide, reduced, analysis of fluorescence images, blood perfused rat heart, 1849
Nicotinic acetylcholine receptor pore, effects of homologous subunit mutations on *n*-alcohol block of, 2170
Nifedipine, induction of unidirectional conduction block of impulse propagation by, heart, 754
Nitroxide-nitroxide, dipolar interactions, analysis by CW-EPR, 1861
NMR. see Nuclear magnetic resonance

Nodulation factor, fluorescent, *Vicia sativa* roots, imaging of binding sites using, 1986
Noise analysis, non-space-clamped cables, ion channels, 1193
Nuclear magnetic resonance
^{13}C, molecular motions of Gp21 analyzed by, human transferrin, 470
hydrodynamic bead models using X-ray crystallography and, 408
solution, application to *E. coli* diacylglycerol kinase, 2688
Nucleotide-gated channel, cyclic, two-site permeation model of, retinal rod cells, 127
Nucleotides, adenosine conformations of, bound to methionyl tRNA synthetase, transferred nuclear Overhauser effect spectroscopy, 2275

O

Octyl-β-D-glucopyranoside, partitioning into lipid bilayers, 1719
Octylglucoside, vesicular stomatitis virus envelope solublization and reconstitution with, 1683
Olfactory receptor neurons, odorant-induced currents in intact patches from, 1443
ω-Aga-IVA, alteration of P-type calcium channel gating by, 2117
OmpF porin, *E. coli* outer membrane, computer simulations of, 2094
Optical tweezers, DNA stretching with, 1335
Optoacoustic studies, laser-induced, on bovine rhodopsin, 2294
Osmosis, transmembrane flux and ion concentration near membrane, measured by microelectrodes, 1711

P

Packing
crystals, energetics of, cyclic dipeptides, 913
effect on transmembrane asymmetry of phosphatidylethanol, 2588
ester- and ether-linked phospholipids, lipid bilayers, 1695
parameters for nonlamellar diacylglycerols (letter to the editor), 2834
Palmitic acid, monolayer, interaction with lung surfactant protein B monolayers, 2783
Paraflagellar swelling, light induced photocycle of, *Euglena gracilis*, 545
Paralysis, periodic, slow inactivation in mutant sodium channels in, 1204
***cis*-Parinaric acid**, orientation of muscle cross-bridges measured using, 2268
Particle-mesh Ewald method, effect of periodic box size on molecular dynamic simulation of DNA, 2395
Particles, measurement of properties by ERLS, 1414
Patch-clamp recordings
estimating channel number in, 1143
multichannel data from voltage-operated channels, 1143
Patchiness, quantification of, DNA, 866
Peptide nucleic acids
adsorption of DNA decamers and, on charged surfaces, 2285
homopyrimidine, specificity of dsDNA targeting by, 2763
Percolation, in two-phase lipid bilayer containing bacteriorhodopsin, fluorescence quenching and ESR, 2660
Permeability, of acetic acid across lipid bilayers, application of free-surface-area theory to, 223
Permeabilization, electric-pulse-induced, porcine skin, 2805
Permeation
through an open channel, application of Poisson-Nernst-Planck theory to, 97
two-site model for CNG channel of rod cells, retina, 127
Phase sensitivity, in modeled bursting neuron, 579
Phase topology, percolation and, Monte Carlo approach, 2-component lipid bilayers, 1501
***N*-Phenylmaleimide**, differential alkylation reaction, myosin SH1 and SH2, 858
Phosphate transients, strain-dependent modulation of, skeletal muscle fibers, 1780
Phosphatidic acid, phosphatidylcholine mixtures with, nonideal mixing and phase separation, 2196
Phosphatidyl serine membranes, annexin I binding to, 383
Phosphatidylcholines
liposomes, solublizing effects of dodecylmaltocide, 1668
mixed-chain, ethanol-induced chain interdigitations in gel-state bilayers, 2702
monolayers studied by epifluorescence microscopy, cholesterol, 2569
phosphatidic acid mixtures with, nonideal mixing and phase separation, 2196
Phosphatidylethanol, effect of packing constraints and electrostatic surface potentials on transmembrane assymetry of, 2588
Phosphatidylglycerol, promotes bilayer insertion of calcitonin, 2180
Phosphoglycerate kinase, yeast, metal-binding site determined using RhATP, 928
Phospholemman channel, ion selectivity of, 141
Phospholipase A_2, action on planar lipid bilayers, 247
Phospholipase C, sphingomyelinase and, changes in unilamellar vesicles induced by, cryo-transmission EM, 2630
Phospholipid bilayers, melittin interaction with, ESR studies, 767
Phospholipid films, association of SP-B and SP-C in, 2638
Phospholipid layers, supported, redox behavior of plastoquinones and ubiquinones incorporated in, 2679
Phospholipid membranes, characterization of synthetic membranous segments of ROMK1 channel, 85
Phospholipid monolayers
Langmuir-Blodgett, order determined by total internal reflection fluorescence, 2651
spread, prothrombin adsorption to, 2605
Phospholipid vesicles, shape modification under high pressure, 1258
Phospholipid-cholesterol bilayers, effects of hydrostatic pressure, 1264
Phospholipids
ester- and ether-linked, packing characteristics of bilayers of, 1695
membrane, micropipette aspiration induced translocation, human erythrocytes, 1434
microdomains, lipsomes with *E. coli* lactose permease, 1247
Photoacoustic spectroscopy, depth profiling by, ligand localization, mammalian cells, 2365
Photobleaching, recovery and anisotropy decay in solution and cells, green fluorescent protein-S65T, 1900
Photocycle
room-temperature, retinal structure changes in K-590, using PTR/CARS, bacteriorhodopsin, 2329
in vivo, of *Euglena gracilis* photoreceptor, 545
Photoexcitation, volume and enthalpy changes after, bovine rhodopsin, 2294
Photolysis, light-induced, protein conformational changes in octopus rhodopsin, 2320
Photon correlation spectroscopy, studies of caldesmon characteristics in solution by, 835
Photoreceptors, *in vivo* photocycle of, *Euglena gracilis*, 545
Photosystem I
absorbance changes and electrogenic reactions in micro-second time domain of, 301
back-reaction kinetics in, 301
C-Phycocyanin, deuterated, measurement of coherent Debye-Waller factor by inelastic neutron scattering, 1792

Pituitary, gonadotrophs, kinetics of calcium ion oscillations induced by IP-3, 698
Planar lipid bilayers
action of phospholipase A_2 on, 247
ATP-sensitive anion channels from synaptosomal membranes in, 720
mechanosensitivity in, epithelial sodium channels, 1182
Plastocyanin, simulated photoinduced electron transfer dynamics of, 5
Plastoquinones, ubiquinones and, redox behavior when incorporated in supported phospholipid layers, 2679
PME. see Particle-mesh Ewald method
PMF. see Potential of mean force
Poisson-Nernst-Planck theory, application to permeation through an open channel, 97
Poly(methylmethacrylate) tracks, patterned, control of actin moving trajectory by, 1997
Pores
dynamically stabilized, in bilayer lipid membranes, 2211
identification of lining segment in, gap junction hemichannels, 1946
structure predicted by annealed atomic simulation, Shaker-potassium channels, 2479
Porin
mitochondrial, ATP flow regulation by, 1954
OmpF, computer simulations of, *E. coli* outer membrane, 2094
Potassium channels
atomic distance estimates in pores, 117
inactivation mediated by cytoplasmic terminal domains, 163
maxi, calcium activated, ion conductance of, embryonic rat brain, 188
plant, assembly of α-subunits, 2143
Shaker
external barium and gating charge movement of, 77
subunit folding and transmembrane segment electrostatic interactions, 1489
Potassium currents, in presynaptic hair cells, *Hermissenda*, 193
Potential of mean force, treatment of salt-mediated crystallization of proteins, 2770
Pressure effects, convection and, in basement membrane, glomeruli, 214
Proline, position of, and ion channel activity of alamethicin, 2151
Protein kinase C, conformation of substrates NG(28–43) and]A^{35}[NG(28–43) in aqueous and SDS micell solutions, 554
Proteins
adsorption on surfaces with grafted polymers using single-chain mean-field theory, 595
conformational changes in, light-induced photolysis of octopus rhodopsin, 2320
diffusional encounters with proteins, 1915
folding, dissection of free energy changes in, 3
hydration and conformational states in solution, 1022
hydrogen-bond network in self assembly of, 353
pH-dependent properties, role of conformational flexibility, 2075
salt-mediated crystallization, PMF treatment of, 2770
slow orientational fluctuations in, 326
strongly denatured, small-angle neutron scattering analyzed by random polymer theroy, 335
structural analysis from solid state NMR-derived orientational constraints, 2342
surface hydrophobicity and ATP hydrolysis by myosin motor domain, 20
Prothrombin, adsorption to spread phospholipid monolayers, 2605
Protons
equilibria in minor groove of DNA, 291
release and uptake, bacteriorhodopsin, 886
Purple bacteria, quinone and detergent interaction with reaction centers of, 2304

Q

Quantal release, of neurotransmitter, binomial model of fluctuation analysis, 728
Quinone, interaction of detergent and, with reaction centers of purple bacteria, 2304

R

Raman difference spectroscopy, *E.coli* dihydrofolate reductase, conformational changes shown by, 936
Random events, definite answers from, 3
Random polymer theory, small-angle neutron scattering analyzed by, in strongly denatured proteins, 335
Receptor arrays, collective binding properties of, 1582
Red blood cells. see Erythrocytes
Re-lipopolysaccharide, *E. coli*, dynamics of hydrated monomeric conformers of, 1031
ReLPS. see Re-lipopolysaccharide
Retina, two-site permeation model for CNG channel, rod cells, 127
Rhodobacter sphaeroides, quinone and detergent interaction with reaction centers of, 2304
Rhodopsin
bovine
laser-induced optoacoustic studies on, 2294
volume and enthalpy changes after photoexcitation, 2294
octopus, light-induced protein conformational changes in photolysis of, 2320
structure of transmembrane 7-α-bundle of, 1963
Ribonucleic acid
double stranded, bacteriophage ϕ6, polarized Raman spectroscopy of, 2748
structural modeling of hairpin structures, 876
Rigor, skeletal muscle, strain-dependent elasticity of force-producing cross-bridges in, 814
Ripple-phase bilayers, high resolution scanning tunnel microscopy of, 964
RNA. see Ribonucleic acid
Rod cells, retinal, two-site permeation model for CNG channel of, 127
ROMK1 channel, phospholipid membrane, characterization of synthetic membranous segments of, 85
Ryanodine receptors
adaptation of single cardiac channels, 691
FKBP12-depleted, subconductance states, 146

S

Sacculus, bullfrog, myosin ATPase activity in hair bundles of, 263
Sarcoplasmic reticulum
calcium content during cardiac cycle, ventricular myocytes, 1319
time-resolved charged translocation of calcium-ATPase from, 2503
Scanning force microscopy, structure of model pulmonary surfactant analyzed by, 463
Scanning tunnel microscopy, high resolution, of ripple-phase bilayers, 964
Secretion, implications of buffered calcium ion diffusion near membrane, neuroendocrine cells, 674
Sedimentation velocity
advances in analysis, 395
fitting data for low-molecular-weight solutes, 435

intepretation of complexity in boundaries, 397
molecular mass determination using, 428
E-Selectin, quantification of rolling adhesion with its carbohydrate ligands and, 2820
SFM. see Scanning force microscopy
Shaker potassium channels
external barium and gating charge movement of, 77
pore structure predicted by annealed atomic simulation, 2479
subunit folding and transmembrane segment electrostatic interactions, 1489
β-Sheet peptide structures, dichroic ratios in polarized FTIR for noaxial symmetry, 2710
Sickle cell disease, homogeneous nucleation in hemoglobin, 343
Signaling, intracellular processes, modulation by locational regulation, 2014
Single action potentials, presynaptic calcium dynamics and transmitter release, central synapses, 637
Single-chain mean-field theory, protein adsorption on surfaces with grafted polymers using, 595
Single-particle tracking, distribution of diffusion coefficients in, 1744
Skeletal muscle
calcium regulation of thin filament motility, 1295
strain-dependent elasticity of force-producing cross-bridges in rigor, 814
Skeletal muscle fibers
calcium ion-activated, ATP and CTP dependent contractile properties of, 822
inhibition of actin binding to caldesmon fragments, 1287
strain-dependent modulation of phosphate transients in, 1780
Skin
human, multiphoton excitation fluorescence microscopy and spectroscopy *in vivo,* 2405
porcine, electric-pulse-induced permeabilization of, 2805
Sliding velocities, actin filament, produced by mixtures of myosins, 1767
Smooth muscle, cryo-AFM of myosin, 1308
Sodium
binding site in gramicidin A channel, 1930
potassium ATPase, endothelial, a ^{133}Cs NMR study of activity, 2775
potassium pumps, electric activation, fluctuation-driven directional flow, 2496
Sodium channels
epithelial
mechanosensitivity in planar lipid bilayers, 1182
multiple effects of point mutations in αbENaC, 1622
mechanisms of sodium/calcium selectivity in, 989
mutant, slow inactivation in, myotonia and periodic paralysis, 1204
segment I-S6 mutation, alters slow inactivation of, 1633
Solutes, low-molecular-weight, fitting sedimentation velocity data for, 435
Solvation, energetics of, cyclic dipeptides, 913
Solvent studies, explicit and continuum, enzyme-inhibitor association thermodynamics, 522
Spectra, use of matrix methods in modeling of, 652
Spherical supported vesicles, lipid monolayers and bilayers, comparison with multilamellar vesicles, 1659
Spherical vesicles, charged molecule redistribution induced in, by direct current electrical field, 613
Sphingomyelin analog, fluorescent, spectral changes during endocytosis, 37
Sphingomyelinase, phospholipase C and, changes in unilamellar vesicles induced by, cryo-transmission EM, 2630
Spin labels, 5-atom-tethered, DNA dynamics monitored by, 282
SR. see Sarcoplasmic reticulum
Sterols, influence on bending elasticities of model membranes, 2616
Strain, modulation of phosphate transients dependent on, skeletal muscle fibers, 1780
Stretching, of DNA with optical tweezers, 1335
Substance P, receptor internalization and dendrite transformation, 1092
Suicide substrate B, metal-binding site determined using, yeast phosphoglycerate kinase, 928
Superlattices, ergosterol and cholesterol, three component liquid crystalline lipid bilayers, 2243
Surface antigens, analysis of FcεRI-mediated stimulation by, mast cells, 2470
Surfactant, pulmonary, structure of model analyzed by SFM, 463
Surfactant protein B, lung, palmitic acid monolayer interaction with monolayers of, 2783
Surfactant proteins, pulmonary, association of SP-B and SP-C in phospholipid films, 2638
Sympathetic boutons, visualized, synaptic transmission at, acetylcholine-receptor interaction, 1595
Synapses
brain, multi-state receptors activated by neurotransmitter signals, 1127
mammalian central, presynaptic calcium dynamics and transmitter release, 637
Synaptic cleft, frequency-dependent alterations in extracellular calcium levels, 2103
Synaptic transmission
collective binding properties of receptor arrays, 1582
at visualized sympathic boutons, acetylcholine-receptor interaction, 1595
Synaptic vesicles, cholinergic, elastic properties measured by AFM, 806
Synaptosomes, ATP-sensitive anion channels in planar lipid bilayers, 720
Synchrotron X-ray scattering, collagen model for elasticity using, 1376

T

Temperature, influence on bending elasticities of model membranes, 2616
Thin filaments
activation, troponin C modulation of, 2262
motility, calcium regulated, skeletal muscle, 1295
smooth muscle, effects of caldesmon, 3D image reconstruction of, 2398
Time domain, microsecond to second, absorbance changes and electrogenic reactions in, photosystem I, 301
Time-resolved charged translocation, calcium-ATPase, from SR, 2503
Total internal reflection fluorescence, phospholipid monolayer transfer, Langmuir-Blodgett technique, order determined by, 2651
Transferred nuclear Overhauser effect spectroscopy, adenosine conformations of nucleotides bound to methionyl tRNA synthetase, 2275
Transferrin, human, molecular motions of Gp21 analyzed by ^{13}CNMR, 470
Transmembrane flux, effect on ion concentration near membrane, 1711
Troponin C, modulates thin filament activation by rigor cross-bridges, 2262
Troponins, cardiac, fluorescent properties of IAANS attached to troponin C mutants in, 850
Trp-43, molecular analysis of fluorescence, 1800
Tryptophan, long lifetime fluorescence, detection of protein orientational fluctuations using, 326
Tubular crystals, production by reconstitution, detergent-solub-

lized calcium-ATPase, 2545
Tubulin, ionic strength effects on *Vinca* alkaloid-induced interactions of, 416
Tyrosyl radicals, model, density functional calculations on, 1556

U

Ubiquinones, plastoquinones and, redox behavior when incorporated in supported phospholipid layers, 2679
Ultraviolet resonance Raman spectroscopy, temperature-dependent, premelting states of dA·dT DNA, 1512
Unfolding, see also Folding
helical peptides, molecular dynamic simulations on role of water in kinetics of, 2445
Urea cycle, constraints and missing reactions in, 2349

V

Van der Waals interactions, role of, to stereospecificity of lactate dehydrogenase reaction, 619
Vapor pressure paradox, possible microscopic mechanism underlying, 942
VDAC, see also Porin
mitochondrial, ATP flow regulation by, 1954
preinsertion of, effect on insertion of new channels, 2129
Vesicles, unilamellar, phospholipase C and sphingomyelinase induced changes, cryo-transmission EM, 2630
Vesicular stomatitis virus envelope, solublization and reconstitution with octylglucoside, 1683
Vicia sativa, roots, imaging of binding sites using fluorescent nodulation factor, 1986
Vinca alkaloid, interactions, ionic strength effects on tubulin with, 416
Virosomes, solublization and reconstitution with octylglucoside, 1683
Viruses, manipulation, by AFM, 1396
Viscosity, cytoplasmic, probed by green fluorescent protein-S65T, 1900
Voltage-operated channels, analysis of multichannel data from, patch-clamp recordings, 1143

W

Water, molecular dynamic simulations on role of, on unfolding kinetics, helical peptides, 2445

X

X-ray crystallography, hydrodynamic bead models using NMR data and, 408
X-ray micrography, imaging of *Escherichia coli* cell shape using laser plasma pulsed point X-ray sources, 1521

Y

Yeast, phosphoglycerate kinase metal-binding site determined using RhATP, 928